REPORT

ON THE

SANITARY ADMINISTRATION OF THE PUNJAB

AND

PROCEEDINGS OF THE SANITARY BOARD

FOR THE YEAR 1902,

BY

LIEUT.-COLONEL C. J. BAMBER, I.M.S., D.P.H., CAMB.,

Sanitary Commissioner, Punjab.

AND


THE REPORT ON SANITARY WORKS

FOR 1902.

BX

C. E. V. GOUMENT, ESQUIRE, A.M.I.C.E.,
Offg. Sanitary Engineer, Punjab.


Price Re. 1-0-0 or 1s. 6d.



THE "CIVIL AND MILITARY GAZETTE" PRESS,
Sole Contractors for Printing to the Punjab Government.

1903.





Agents for the sale of Punjab Government Publications.

IN LONDON.

E. A. Arnold, 37, Bedford Street, Strand, W. C.

CONSTABLE & Co., 2, Whitehall Gardens, S. W.

Sampson Low, Marston & Co., St. Dunston's House, Fetter Lane, E. C.

P. S. King & Son, 9, Bridge Street, Westminster, S. W.

LUZAC & Co., 46, Great Russel Street, W. C.

KEGAN PAUL, TRENCH, TRÜBNER & Co., Charing Cross Road, W. C.

B. QUARITCH, 15, Piccadilly, W.

ON THE CONTINENT.

FRIEDLANDER & SOHN, 11, Carlstrasse, Berlin.

Otto Harrassowitz, Leipzig.

KARL W. HIERSEMANN, Leipzig.

ERNEST LEROUX, 28, Rue Bonaparte, Paris.
Martinus Nijhoff, The Hague.

IN INDIA.

THACKER, SPINK & Co., Calcutta & Simla.

NEWMAN & Co., Calcutta.

THACKER & Co., Bombay.

HIGGINBOTHAM & Co., Madras.

V. KALYANARAM IYER & Co., 189, Esplanade Row, Madras.

Superintender, American Baptist Mission Press, Rangoon.

A. CHAND & Co., Imperial Book Depôt Office, Delhi.

Gulab Singh & Sons, Mufid-i-'Am Press, Lahore.

S. Mumtaz Ali & Son, Rafah-i-'Am Press, Lahore [for Vernacular publications only].

REPORT

ON THE

SANITARY ADMINISTRATION OF THE PUNJAB

AND

PROCEEDINGS OF THE SANITARY BOARD FOR THE YEAR 1902.

BY

LIEUT.-COLONEL C. J. BAMBER, I.M.S., D.P.H., CAMB.,
Sanitary Commissioner, Punjub.

AND

THE REPORT ON SANITARY WORKS

FOR 1902.

BY

C. E. V. GOUMENT, ESQUIRE, A.M.I.C.E.,

Offg. Sanitary Engineer, Punjab.



THE "CIVIL AND MILITARY GAZETTE" PRESS, Sols Contractors for Printing to the Punjab Government. 1903.

4...

Arn Rep WA28 - JI4 - G2

Section I.—Meteorology.

See Remarks in paragraph 13.

Section II.—European Army.

No Remarks.

Section III.—Native Army.

No Remarks.

Section IV.—Jails.

No Remarks.

Please substitute the following in the Annual Report of the Sanitary Engineer to Government, Punjab, for the year 1902, printed as Appendix B to the Sanitary Administration Report of the Punjab for 1902.

In the first line of paragraph 6, for 1901 substitute "1900."

In the second line of paragraph 6, for 10,000 substitute "36,000."

For the last five lines of paragraph 6 on the first page of the report substitute the following:—

"It was matured for the first 21 days with a weak mixture of sewage and water. A mixture of 60 parts water and one sewage was used for one week and a mixture of 30 water and one sewage for two weeks. After this, the dilution was 20 gallons of water to one of pipe sewage (1 gallon of pipe sewage being the approximate yield per head of population) and this rate was by degrees decreased till a strength of 17 to 1 was reached on the 18th September.

READ-

The Report of the Sanitary Administration of the Punjab and the Proceedings of the Sanitary Board for the year 1902 by Lieutenant-Colonel C. J. Bamber, I.M.S., Sanitary Commissioner, Punjab, and the Report on Sanitary Works for 1902 by Mr. C. E. V. Goument, A.M.I.C.E., Officiating Sanitary Engineer, Punjab.

REMARKS.—The striking feature of the statistics incorporated in the Sanitary Commissioner's Report for 1902 is the remarkable effect of plague on the Provincial death-rate. Except for plague the year was a fairly healthy one. The Province remained practically free from cholera, to which only 371 deaths were due. Small-pox outbreaks of any severity were confined to the limits of restricted localities, and, though the Provincial death-rate from this disease increased, small-pox carried off only 11,629 persons in all: the value of vaccination as a prophylactic measure is fully apparent from the gratifying figures set forth in paragraph 30 of the Sanitary Commissioner's Report, and the necessity . for it from the unsatisfactory record in paragraph 29. The year was a favourable one for fevers, and the total fever mortality amounted only to 473,352 persons (including a number of deaths from cerebro-spinal fever) as compared with 508,035 in the previous year; the facilities for placing quinine within the reach of the people were improved by the transfer of the arrangements to the Post Office, though good opportunities did not offer for experiments in the destruction of mosquitoes and other measures intended for the prevention of malaria. In comparison with 1901 there was a considerable fall in the number of deaths recorded from dysentery and diarrhoea, and there is no reason to believe that respiratory diseases were more fatal. The number, however, of plague deaths, according to the Sanitary Commissioner's figures, rose from 14,959 in 1901 to 171,302 in 1902, and it is this increase alone which accounts for the rise of the Provincial death-rate to 44'11 per mille from 36'13 per mille in 1901 and a mean death-rate during the past five years of 33 71 per mille. The Provincial mortality rate from plague was 8.5 per mille, and so important a factor was this disease in 1902 that it accounted for the enormous death-rate in Ludhiána (103.9 per mille), Siálkot (60.7 per mille), and Ambala (60.6 per mille). The last two rates are, it is true, surpassed by some recorded in 1900, when famine, fever and cholera combined to furnish rates like 96.4 per mille in Hissar, 86.8 per mille in Ferozepore, and 73.7 in Karnál. But a record of 103.9 per mille for a district is probably unprecedented, and considered with the total death-rates of individual towns which suffered from plague, such as Khanna 177 per mille, Jagraon 153 per mille, Jámke 143 per mille, Ráekot 137 per mille, Máchiwára 133 per mille, and Rúpar 112 per mille, it affords striking evidence of the terrible effects of plague and the imperative necessity of adopting every means possible for checking its ravages.

2. It is to be noted that at present two sets of statistics for plague are compiled, one by the Sanitary Commissioner and the other by the Chief Plague Medical Officer. The former depends on the ordinary reporting agency of chaukídárs; the latter derives his figures from reports specially submitted by Patwárís. An examination of the two sets of statistics discloses discrepancies with regard to the Provincial totals for different months and the annual totals for different districts. With regard to the former discrepancies, however, the Chief Plague Medical Officer has recorded a note that they "are chiefly accounted for by the circumstance that the reporting of deaths by chaukídárs is not as prompt as the reporting by Patwárís, and that therefore the mortality statistics recorded by these two agencies do not refer to exactly the same periods. This will be made clear by a reference to the figures for March and April, thus—

March. April. Total.

Sanitary Commissioner ... 47,956 52,956 100,912
Chief Plague Medical Officer... 51,945 48,840 100,785

Difference (Chief Plague + 3,989 - 4,116 - 127
Medical Officer),

It will be seen that in spite of very considerable differences for the separate months, the total figures for the two months differ by only 127." Considering the probable future conditions of plague administration in the Punjab, delay in bringing deaths upon the record is of little practical importance, except in so far as it may render difficult the comparison of monthly figures with the figures for previous months compiled by the Chief Plague Medical Officer. With regard to the differences in annual totals for different districts, it is to be noted that, according to the returns of the Sanitary Commissioner and the Chief Plague Medical Officer taken together, there were during 1902 plague deaths in 23 districts in all. But of these districts, 5, with 19 deaths, do not appear in the Chief Plague Medical Officer's returns and 1, with 1 death, does not appear in the Sanitary Commissioner's returns. In districts with such few deaths as are here in question local enquiry can readily be made for the verification of plague deaths reported by chaukídárs, and necessary corrections can be made in the Sanitary Commissioner's figures. Seventeen districts appear in both sets of returns, and with regard to 15 of these the Chief Plague Medical Officer's figures are greater than those of the Sanitary Commissioner, while with regard to 2 they are less. The percentage by which the Chief Plague Medical Officer's figures are greater is largest in the cases of districts which were only slightly infected and in no one of which was the total number of deaths according to the Chief Plague Medical Officer more than 250 in the year. In the 10 more severely infected districts, if the amount of difference between the two sets of figures is expressed as a percentage of the Sanitary Commissioner's totals, the Chief Plague Medical Officer's figures are found to be less than the Sanitary Commissioner's by 15.8 per cent. (= 1,615) and 10.5 per cent. (=1,542) in Lahore and Gurdáspur respectively, and greater in the other 5 districts by from 1'1 per cent. (= 5:0 in Ludhiána) to 10:4 per cent. (= 2,944 in Siálkot), and 146 per cent. (= 555 in Gujránwála). The 10 worst infected districts appear by the Sanitary Commissioner's figures in the same order as regards severity of infection as they do by the Chief Plague Medical Officer's figures, and practically the same percentage of the total number of deaths that occurred in these 10 districts is ascribed to each by both sets of statistics. In their totals for the Province both sets agree fairly well, for the Sanitary Commissioner records in all 171,302 deaths and the the Chief Plague Medical Officer records 175,645, or 2.5 per cent. more. Neither set of statistics can claim to be quite accurate, and the reports of cases which are made by Patwaris are even more untrustworthy than their reports of deaths. Both sets of statistics are vitiated by the fact that deaths from other causes, chiefly fever, are often recorded as plague deaths, and that deaths from plague are not uncommonly ascribed to other causes. But it is clear that the Sanitary Commissioner's figures are accurate enough for all practical purposes, except in slightly infected places, where all plague statistics are pecularly liable to error and where special arrangements to collect correct information can be made. In the circumstances it is a matter for consideration whether we should not depend for plague statistics ordinarily on the chaukídár and relieve the Patwári of the extra burden which their reporting has cast upon him.

3 Other matters connected with plague will be dealt with separately, but the remarkable fact may be noticed here that in the Punjab the larger towns have hitherto escaped severe outbreaks. This fact is brought out both by the statistics compiled by the Sanitary Commissioner and also by those compiled by the Chief Plague Medical Officer. Taking the Sanitary Commissioner's figures as approximately correct, we find that while 155,449 deaths from plague occurred in rural areas, giving a death-rate of 8.5 per mille on the rural population, only 15,853 deaths occurred in towns giving a death-rate from plague of 7.97 per mille of the urban population of the Province. During the year plague deaths were recorded in 75 towns, and in 27 of these, or 36 per cent. (including 3 of the largest towns in question, viz. Delhi and Mooltan, in which the infection did not take root, and Lahore, which was regularly infected), the plague death-rate was under 1 per mille of the population; in 7 towns, or 93 per cent. (including Amrits r), it was between 1 and 5 per mille; and also in 9 towns (including Sialkot and Jullundur) it was between 10 and 20 per mille. The

highest urban plague death-rates were recorded in small towns, viz. 140 per mille in Khanna (population 3,838), 115 per mille in Jámke (population 4,216), 111 per mille in Jagraon (population 18,760), 98.6 per mille in Máchiwára (population 5,588), 92.9 per mille in Ráekot (population 10,131), and 90.46 in Rúpar (population 8,888). There were in all 34 towns with a death-rate from plague of over 10 per mille, but of these none had 30,000 inhabitants except Ludhiána, and only 3 had between 20,000 and 30,000, while 7 had between 10,000 and 20,000, 15 between 5,000 and 10,000, and 8 under 5,000.

- 4. The large increase, 8.4 per 1,000, in the birth rate compared with that for 1901 is noteworthy, although comparison is being made with a year in which the conditions were unfavourable to a high birth-rate. The Sanitary Commissioner, in paragraph 2 of his report for 1901, accounted for the low birth-rate of that year by saying that "owing principally to the extreme unhealthiness of the last four months of 1900 there were fewer conceptions in that period, and consequently there was a smaller number of births registered in the year 1901." This theory, although generally accepted, is not fully borne out by the record of 1902, for a rise in the birth-rate for 1902 took place in every district in the Province including Ludhiána which suffered so terribly from plague. Much of the sickness which accounts for the abnormally high death-rates in Ludhiána, Siálkot, Ambala, Jullundur, Gurdáspur, Lahore, and Hoshiárpur must have occurred in the early part of the year 1902, but still it had no appreciable effect on births.
- 5. The results of the Sanitary Commissioner's investigation as to the extraordinary fluctuations of birth-rates are interesting. The calculation, however, of rates during an inter-censal period upon the figures of the last census would not very materially affect the question for two or three years after the census. Yet we find the fluctuations in 1901 and 1902 very considerable indeed, and even if we allow that widespread sickness, such as an epidemic of malarial fever, does affect the rate to perhaps the greatest degree, still defective registration must be held to play almost an equal part in fluctuating records.
- 6. In the second part of paragraph 15 of his Report the Sanitary Commissioner has set forth figures indicating an abnormally high death-rate in 1902 among women between the ages of 10 and 15. These figures are of interest, but will be more so in considering how the birth-rate of 1903 is affected. If, indeed, the Sanitary Commissioner has any good grounds for assigning, even as a probability, the high death-rate in question to the injurious effects of premature maternity, the statistics would disclose a very sad state of things. It, however, appears more probable that the extraordinary female mortality in the age period mentioned is accounted for by plague rather than by the reason put forward by Lieutenant-Colonel Bamber.
- 7. The Lieutenant-Governor has considered the special report on the death-rates of Hingús and Muhammadans in different districts, to which the Sanitary Commissioner refers in paragraph 17 of his Report. His Honour thinks that the true explanation of the figures has not yet been found, and has requested the Sanitary Commissioner to keep the matter under his observation for further report in case any convincing explanation is forthcoming hereafter.
- 8. Defective registration has already been touched upon, but it is satisfactory to note that the efforts to ensure correct registration of vital statistics are as effective as it is possible to make them, under present conditions, by means of inspection. There is one point, however, which calls for remark in this connection. There are several inspection agencies at work, viz, Civil Surgeons Revenue officers, Divisional Inspectors, and Vaccinators, but to judge from the statistics available there is no guarantee that one locality is not visited more than once by more than one of these agencies, while other localities are left uninspected by them all. This matter was referred to in the Lieutenant-Governor's Review of the Reports for 1898 and 1899, and should be noticed by the Sanitary Commissioner in future reports.

- 9. The Lieutenant-Governor is pleased to notice that some attention was paid to the improvement of wells and sanitary conditions in villages, and he re marks that a satisfactory record of work done by the Sanitary Board is appended to the Sanitary Commissioner's Report. Under the advice of the Sanitary Engineer considerable improvements are being effected in the water-supply and sanitation of several large towns of the Province. It may be noted that His Honour has not been able as yet to place funds at the disposal of the Sanitary Board for the assistance of Local Bodies in carrying out sanitary works except by way of loan, but he trusts that an improvement in the financial position of the Province will permit of grants-in-aid being made in the future.
- colonel Bamber, I.M.S., and Mr. Goument for the good work done by them as Sanitary Commissioner and Sanitary Engineer respectively, and for the Reports they have submitted.

ORDER.—Ordered that a copy of the foregoing Remarks be circulated with the Report and furnished with the usual number of copies of the Report to the Government of India; also that the Review be published in the *Punjab Government Gazette*.

Ordered also, that a copy be forwarded to the Sanitary Commissioner, Punjab, for information and guidance with reference to paragraph 7.

By order of the Hon'ble the Lieutenant-Governor,

C. J. HALLIFAX,

Judicial and Genl. Secy. to Govt., Punjab.

TABLE OF CONTENTS

Pc	ra.										Pag
	Review of the Report	by Go	vernm	ent.							
	•	SECTI	ON V	 - -	TAL ST	A TITEST	വവ്യ.				
	· · · · · · · · · · · · · · · · · · ·		LOIN V	· VI	LAU SI	WIIDI	LIUS.				
1	Annual Form No. I (Bi			•••	••• • T 1•	•••	•••	•••	• • • •	000	.1
$\frac{2}{3}$	Birth-rates registered in Birth-rates in 1902 com						•••	•••	•••	•••	ib.
4 4	Variation in the birth-			e prev	ous yea		•••	•••	••• •••	•••	$ib. \\ ib.$
5	Causes of variation	•••	•••	•••	••.	•••	•••	•••	•••	•••	ib.
6	Number of births and d	eaths c			• i •	• 6 •	•••	•••	•••	•••	2
7	Annual Form No. II (D			•••	•••	•••	•••	•••	•••	•••	3
8	Death-rates in other Pro				# 2.00		•••	000	ter to the	7.	ib.
9 10	Increase or decrease in Death-rates by districts							nual.	Form No	o. II	ib.
11	Death-rates in towns.					• • • •	•••	•••	•••	•••	ib. ib.
12	Seasonal mortality. An					•••	•••	•••	•••	•••	ib.
13	Chief meteorological fea	tures o	of the y	7ea r	•••	•••	• 6 •	•••	• 0 •		4
14	Prices of food grains an				•••	•••	•••	•••	•••	***	ib.
15	Deaths by sexes. Annu				d IV	•••	• • •		•••	***	5
16	Death-rate of infants un Deaths according to class			Form	No V	•••	•••	•••	• • •	•••	ib.
17 18	Deaths at railway static					•••	600	• 6 •	•••	•••	<i>ib.</i> 6
19	Inspection of birth and				•••	•••	•••	•••	•••	•••	ib.
20	Fines inflicted for breac					•••	•••	•••	•••	•••	ib.
21	Deaths among European				•••	•••	•••	•••	•••	•••	ih.
		COTT CITE	TORT T	7T (1)	erree e	TOPA	~ = ~				
		SECT	ION I	/1.—C.	HIEF D	DISEA	SES.				
22	Annual Form No. VII (Cholera	ı)	•••	• • •	400	***	000		•••	7
23	Isolated outbreak in a v	illage i	n the I	Kángra	district	;	•••	•••	***	•••	ib.
24	Annual Form No. VIII			•••	•••	• • •	•••		•••	•••	ib.
25	Small-pox mortality by			•••			•••	• • •	•••	•••	ib.
26	Deaths among infants a Seasonal mortality		aren ov	er one	and und	der ten	years	•••	•••	•••	ib.
27 28	Mortality by districts	***	• • •	•••	•••	•••	• • •	•••	•••	• • •	<i>ib.</i> 8
29 29	Small-pox mortality in r		al tow	ns. A	nnual F	orm No	o. VI B	•••	• • •	***	ib.
30	Small-pox in towns in w						•••	•••	•••	•••	ib.
31	Annual Form VI A and	B (Plag	gue)		•••	•••	•••	• • •	•••	•••	ib.
32	Seasonal mortality. Mo	nthly F	Returns	s publi	shed in .	Punjab	Govern	ment	Gazette	•••	9
33	Mortality by districts.							***	•••	•••	ib.
34 35	Rural and urban death- Rural and urban death-						яВ	• • •	•••	•••	ib.
ეე 36	Umballa district		. тпе т	ишпап			• • •	•••	•••	•••	<i>ib</i> . 10
3 7	Siålkot district	•••	•••	•••	•••	• • •	***	•••	•••	•••	ib.
38	Jullundur district	•••	***	069	• ú •		464	• d •	***	•••	ib.
39	Gurdáspur district	•••	•••	•••	•••	•••	•••	•••	•••	•••	ib.
40	Hoshiárpur district	•••	•••	•••	•••	•••	•••	•••	•••	•••	ib.
41	Lahore district	••• - 3 1 4	 h - Oh:		••• •••• M4 33	···	· · ·	• • •	•••	•••	ib.
42 43	Full report to be submitted Annual Form IX (Fever							•••	•••	•••	ib.
44 44	Districts with high mort		•••	• • •		010	•••	•••	•••	•••	ib.
45	Cerebro-spinal fever in the				•••	•••	•••	000	•••	•••	ib.
16	Cerebro-spinal fever in I		•••			•••	•••	•••	•••	•••	ib.
17	Districts with low fever	death-r					•••	•••	•••	•••	ib.
18	Increase of fever death-ra					Iooltan	divisio	ns	•••	• • •	12
19	Measures taken for the d					•••	•••	•••	•••	•••	ib.
50	Major Addie's inquiry in Filling up and draining						•••	• • •	•••	•••	ib.
51 52	Annual Form No. X (Dy					•••	•••	•••	•••	• • •	ib. ib.
53	Urban and rural death-ra					•••	•••	•••	•••	•••	ib.
64	Annual Forms No. II and							•••	•••	•••	13
55	Mortality by districts	•••	•••	•••	•••	•••	•••	•••		•••	ib.
66	Annual Form No. VI A				•••	•••	•••	***	1 • •	•••	ib.
7	Patients treated at the P				•••	•••	•••	•••	• • •	•••	ib.
8	Annual Form No. II (All	other c	auses)	•••	•••	•••	•••	•••	•••	•••	ib.
	S	ECTIO	NIX	_SAN	TARY	WOR	RS				
		20110	14	, DIII	. T TITLUI	11 011	13.0.				
9	Sanitary works	•••	•••	•••	• • •	***	•••	•••	•••		14
0	Sale of manure	f wells	• • •	***	•••	•••	• • •	•••	•••	•••	ib.
$\frac{1}{2}$	Clearance and repairing of Rewards and khillats for		ed villa	age san	itation	•••	•••	•••	•••	•••	ib. ib.
3	Village Sanitary Note-Bo		eu viii	50 500	•••	•••	•••	•••	•••	•••	ib.
4	Works of public utility	•••	•••	•••	•••	•••	•••	•••	•••	•••	15

SECTION X.—GENERAL REMARKS AND PERSONAL PROCEEDINGS. $Page_*$ Para. 16 Administration 65 ib. Inspection work of Sanitary Commissioner 66 ... ib. Lectures on Hygiene Inspection work of Deputy Sanitary Commissioner ib. 17 Inspection work of Civil Surgeons and Assistant Surgeons ib. Gratuitous distribution of quinine 70 . . . Brief history of the sanitary arrangements of towns formed within railway precincts ib. 71 ib. 72 Sewage irrigation ... ib. Proceedings of the Sanitary Board i—ii Proceedings of the Sanitary Board APPENDIX B. Annual Report of the Sanitary Engineer to Government, Punjab, for the year 1902 iii—vi ANNUAL FORMS, I.—Showing the births registered in the districts of the Punjab during the i year 1902 II.—Statement of births and deaths registered in each district of the Punjab during ii—iii the year 1902 III.—Deaths registered in the districts of the Punjab during each month of the year 1902 *** *** *** *** iv IV.—Deaths registered according to age in the districts of the Punjab during the year 1902 vi-vii ••• V.—Deaths registered according to classes in the districts of the Punjab during viii the year 1902 ••• ••• --- --- ---VI A .- Deaths registered from different causes in the districts (rural circles) of the Punjab during the year 1902 x-xi ... • • • VI B .- Deaths registered from different causes in the towns of the Punjab during xii-xvii the year 1902 VII.—Deaths registered from cholera in the districts of the Punjab during each month of the year 1902 XVIII ... VIII.—Deaths registered from small-pox in the districts of the Punjab during each month of the year 1902 xx-xxi IX.—Deaths registered from fevers in the districts of the Punjab during each month of the year 1902 X.—Deaths registered from dysentery and diarrhoea in the districts of the Punjab

during each month of the year 1902

water supply, or both, in the undermentioned towns.

Statement showing the death-rates from cholera, small-pox, fevers and dysentery and

diarrhea for the five years preceding, and for the period since the introduction of drainage or

··· XXIV—XXV

Memo. of Errata,

Page 5, line 19, for 18 and 22 read 22 and 17.

Para. 30, line 6, for 1.2 read 1.02.

Para. 52, line 7, for higher read slightly lower.

Para. 52, line 11, after were read Gujranwala 0°27.

Para. 58, line 3, for 8.8 read 6.8.

Annual Form No. VI A, Rural Circles, District Kangra, sub-column 12, for 21 read 216.

Annual Form No. VI B, Towns, Beri Town, column 3, for 9,722, read 9,723.

Annual Form No. VII, District Simla, sub-column 5, for 1 read 51.



Section V.—Vital Statistics.

- 1. Births.—The births registered in the Punjab in 1902 were 830,477 showing an increase of 167,944 over the number recorded in the previous year. The birth-rate during the year under review was equal to 43.8 per 1,000 of the population according to the census of 1901. This rate is 8.4 per 1,000 higher than in 1901, and 3.8 per 1,000 in excess of the mean ratio, calculated on the same population, for the preceding five years.
- 2. As regards the birth-rates registered in the different provinces of India in 1902, the Punjab stands third in the list this time. The Central Provinces and the United Provinces of Agra and Oudh, with birth-rates as high as 48·29 and 45·84 per 1,000, occupy the first and second places. But it must be remembered that these two provinces were fairly healthy in 1901 as shown by their recorded death-rates of 28·8 and 30·3, whereas the Punjab had a high death-rate of 36·1. The Punjab was also extremely unhealthy in the early part of 1902 on account of the great prevalence of plague. Bengál records in 1902 a birth-rate of 40·14 per 1,000, Assam 34·21, Bombay 34·16, the North-West Frontier Province 33·6, Burma 31·57 and Madrás 28·2.
- 3. The birth-rate in 1902 was higher than in 1901 in every district Birth-rates in 1902 compared with the previous seven districts, the rise in the birth-rate during the year exceeded the provincial increase of 8.4 per 1,000, the excess ranging from about 15 to 18 per 1,000 in the districts of Gujrát, Montgomery, Lahore and Ferozepore, and from about 9 to 11 per mille in those of Mooltan, Karnál, Gurdáspur, Siálkot, Jhang, Jhelum and Hissár. The smallest increase of 1.5 was recorded in the district of Ludhiána, due to the combined effects of the fearful ravages committed in this district by plague in the early part of 1902 and of the great prevalence of malarial fevers in the previous autumn. In 1901 this district had a total mortality as high as 52 per mille of which 34 per mille was from fevers, and in 1902 it recorded the most appailing deathrate of 104 per 1,000 including 71 per 1,000 from plague.
- 4. Excluding the very small district of Simla, consisting mostly of the Variation in the birth-migratory population of the sanitarium, the district birth-rate in 1902. The during the year varied between 54.4 per 1,000 in Siálkot and 34.9 in Dera Gházi Khan. It was 52.1 in Gujrát, or very nearly as high as in Siálkot, 49 in Gurdáspur, 48.2 in Mooltan, 46.7 in Lahore, 46.1 in Gurgáon, 46.0 in Ferozepore, 45.7 in Amritsar, 45.3 in Jhang and 45.2 in Sháhpur. In as many as twelve districts, four in the Delhi Division, and two in each of the other four Divisions of the province, the birth-rate ranged from 40.1 to 44.7. In only four districts the birth-rate was under 40 per 1,000, viz., Dera Gházi Khan 34.9, Kángra 35.6, Ludhiána 36.7 and Umballa 37.4.
- the Review of the Sanitary Report of the Punjab for 1901, I have carefully scrutinized the birth-rates, recorded in each of the last five years. And as the result of a close examination of the figures, calculated both on the old and the new populations, and contrasted with the death-rates in the corresponding period, I find that the principal cause of the marked variation noticed in the birth-rates in different districts and towns is the occurrence of severe epidemics of malarial fevers following heavy monsoon rainfalls—and since last year the destructive outbreaks of plague—which seriously affect the health of the people and considerably reduce, as a natural consequence, the normal birth-rate, nine months later. For instance in 1899, the districts of Ferozepore, Hissár and Karnál, recorded the high birth-rates of 56·0, 48·3 and 50·5 per mille owing to the absence of unusual sickness in the previous autumn, as shown by their annual fever

death-rates of 18, 20 and 25 per 1,000. In 1900 they suffered most severely from malarial fevers, as evidenced by the terrible fever death-rates of 69, 70 and 55 per 1,000, and as the result of the abnormal sickness and mortality, their birth-rates in the following year, 1901, fell to figures as low as 28.2, 32.4 and 32.2. The birth-rate varies similarly in towns. In Ludhiána, for instance, the total death-rate in 1897 was 46 per 1,000 and the birth-rate in 1898 was only 31. In 1898 the death-rate fell to 34 and the birth-rate in 1899 rose to 46. In 1899 the death-rate was again very low, i.e., 29, and the birth-rate in 19 00 was 40. In 1900 and 1901, the high death-rates of 59 and 57 were recorded, and the birth-rates in 1901 and 1902 fell to 31 and 28.

The variation in the birth-rate is also accounted for, to some extent, by differences in the effectivenes of registration. For example, take the districts of Siálkot and Dera Gházi Khan with the widest range in their registered mean birth-rates of 48.4 and 30.9 per mille for the previous five years. During this period, the highest yearly birth-rate in Siálkot was 57 per mille and the lowest 44. In Dera Gházi Khan the lowest rate was 26, and its maximum yearly rate of 34 was 10 per mille below the minimum ratio of Siálkot. I have no doubt that in Dera Gházi Khan a large number of births, particularly of females, are not reported. This district recorded in 1902 the extraordinary proportion of 120 males born to every 100 females compared with the provincial ratio of 110. Moreover the population of this district in 1891, with the addition of the excess of births over deaths in the ten-year period, is much below the total arrived at by the Census in 1901 showing that a balance of births remain unregistered. A low birth-rate is not necessarily in every case a proof of defective registration; as, for instance, the small average rate of births recorded in the Kángra district, which must be due to the great paucity of women, noticed at page 195, Part I, of the Punjab Census Report of 1901. In connection with this subject I may state that the Census Superintendent is compiling data to enable me to ascertain the extent to which the birth-rate varies in different places, when calculated on the number of women at the child bearing ages. Every possible effort is being made to secure an accurate registration in all parts of the province by a close supervision of birth and death registers through the agencies of Divisional Inspectors, Vaccinators and Revenue Officers. As an evidence of the marked improvement effected in this respect during recent years, I may refer to paragraph 9 of the chapter on Vital Statistics of the last Census Report, from which it will be seen that there was a difference of only 22,399 between the population of the Punjab according to the census of 1901 and the vital statistical estimate—a figure which, in the opinion of the Census Superintendent, is "really wonderfully small in a population of over twenty million souls."

Another reason of the variation is that, under the orders of Government, the birth-rates are calculated throughout an intercensal period on the last preceding census, and not on the estimated population as in England. But the extent of variation, in this respect, sinks into insignificance, compared with the violent fluctuations caused by epidemic sickness at different places. Comparing the birth-rates in 1900, the tenth year of the last intercensal period, calculated on the old and the new population, the greatest variation in different districts, except Jhang and Gujránwála, is 5 per mille. The abnormal birth-rates in those two districts, as explained in my Sanitary Report for 1900, were due to the inclusion of the births of large portions of the new Chenáb Colony. In 1900 the birth-rates in the districts of Jhang and Gujránwála on the basis of the old population were 78 and 56 per 1,000, respectively; calculated on the new population of 1901 they fell to 34 and 43 per 1,000.

6. In 1902 the death-rate in the Punjab exceeded the birth-rate by 0.3 Number of births and per 1,000. In the previous year also it was higher, the deaths compared. excess amounting to 0.7. Thus, according to vital statistics, the province has lost during the two years one per 1,000 of its population. Comparing the rates of births and deaths by districts, the decrease of population was very considerable in the worst plague-infected districts. In fact the excess of deaths over births was limited almost entirely to those districts. In Ludhiána the mortality exceeded the births at the fearful rate of 67.2 per mille, in Umballa the rate of excess was 29.2 per 1,000, and in Jullundur and Siálkot 14.7

and 12.3 per mille. This regrettable loss of population in the province was made up by the very substantial increase of births over deaths observed in the Ráwalpindi and Mooltan Divisions. The whole of this portion of the province was practically free from plague during the year under review and was also healthy in 1901. In 1902 there was a very large increase of births over deaths in Montgomery. This district was remarkably free from autumnal sickness, its fever death-rate for the year being only 12.1 per 1,000.

- 7. Deaths.—During the year the total registered mortality of 886,973 in the Punjab yielded a death-rate of 44.1 per mille, of which 0.02 was ascribed to cholera, 0.6 to small-pox, 8.5 to plague, 23.5 to fevers, 0.7 to dysentery and diarrhœa, 2.8 to respiratory diseases, 0.3 to injuries and 7.6 to unspecified causes.
- 8. The total death-rates registered in other provinces during the year Death-rates in other were as follows:—Bombay 39.04, Bengal 33.43, the United Provinces of India. Provinces of Agra and Oudh 32.54, Assam 29.01, Central Provinces 25.82, the North-West Frontier Province 24.4, Burma 21.16 and Madras 20.2. Thus the mortality of 44.1 per 1,000 in the Punjab was the highest provincial rate recorded in India.
- 9. Compared with the previous year, the death-rate registered from small-pox in the Punjab in 1902 increased by 0.3 per 1,000, from plague by 7.8 and from "all other causes" including respiratory diseases by 1.6. The deaths from fevers decreased by 1.8. The mortality from cholera was very insignificant and the death-rates from dysentery and diarrhoea and injuries were exactly the same in both years. The net increase of 8 per 1,000 was due almost entirely to plague.
- 10. During the year the abnormally high death rates of 103.9 per mille Death-rates by districts. in Ludhiána, 66.7 in Siálkot, 66.6 in Umballa, 54.8 in Annual Form No. II. Jullundur, 51.0 in Gurdáspur, 46.8 in Lahore, and 41.7 in Hoshiárpur were due to the excessive mortality recorded from plague in these districts. Fever was the principal cause of increase in the five districts of the Delhi Division, excepting Umballa and Simla, and in the districts of Ferozepore, Amritsar and Gujránwála, in which the rates ranged from 39.4 to 47.9. In the Ráwalpindi and Mooltan Divisions, though the mortality in most of the districts was above the normal, the highest district rate did not exceed 36.3 per 1,000. The lowest rate of 23.4 was recorded in the district of Montgomery.
- As directed by His Honor the Lieutenant-Governor, in the concluding portion of paragraph 9 of the Review of the Sanitary Report for 1901, I have inspected all the towns Death-rates in towns. Annual Form VI B. therein referred to, which had a death-rate of over 50 per 1,000 in 1901, and a mean ratio of more than 40 in the preceding five years, excepting two in which the increased mortality in 1901 was caused by plague, and will submit a report to Government on the sanitary conditions of each of them separately. During the year 1902, excluding those in which plague was prevalent, there were & such towns, and I have inspected five and will visit the remaining three. The death-rate of the 140 towns in 1902, taken as a whole, was 49.39 or 12.67 per 1,000 in excess of the average for the previous five years. The most excessive death-rates during the year were recorded in Khanna 177 per mille, Jagráon 153, Raikot 137, Machhiwára 133, all in the Ludhiána district, Jamke in the Siálkot district 143 and Rupar in the Umballa district 112 per 1,000. The fearful increase of mortality in these towns was caused by plague.
- 12. The most noticeable feature of Annual Form No. III is the great Seasonal mortality. Mortality registered during the first five months of the year on account of the prevalence of plague. It was particularly high in March and April, usually the healthiest season of the year. In the district of Ludhiána, in which plague was most fatal, the total mortality in March and April yielded the appalling death-rate of 348 per 1,000 per annum. In the other severely infected districts of Umballa, Siálkot and Jullunder, the total deaths in March and April were recorded at the annual rates

- of 156, 144 and 102 per mille, respectively. Of the total mortality of 44 per 1,000 registered in the province during the year, about 24 per 1,000 was recorded in the months of January to May, only 9 per 1,000 in the four months from June to September, and 11 per 1,000 during the last three months of the year. This is just the reverse of what used to occur before the advent of plague, then the last quarter of the year was much the unhealthiest.
- The following is a brief summary of the chief meteorological features of the year furnished by the Meteoro-Chief meteorological features of the year. logical Reporter, Punjab: - During the months of February the weather over the Punjab was excep-January no rain whatever was received over the tionally dry. In Punjab plains or hills, and in February there was only one showery period about the 20th. The mean temperature of the province was lower than usual during the first two weeks of January and again for a few days at the end of the month and in the beginning of February, but with these exceptions the temperature was exceptionally high. In March the weather was showery at times, more particularly on the 18th and 27th, and about these dates the mean temperature fell to below the normal. At all other times the excess which had prevailed during the two preceding months continued. The highest temperature recorded during the month was 98.3° registered at Sirsa and Mooltan. The weather during the three hot weather months of April, May and June was fairly normal. In April the rainfall was in some excess in the east and in defect in the west of the province, while in June this relation was reversed. The highest temperatures recorded were in April 108.4° at Mooltan, in May 117.0° at Mooltan and in June 118.9° at Khushab. Monsoon rainfall commenced over the Punjab on the 20th of June, after which date moderate rain was received and the temperature fell to between 5 and 13 below the normal. The rainfall during the monsoon was below the normal almost everywhere, both on the hills and plains. Local heavy falls of rain were reported in parts of the Delhi Division between the 18th and 20th of July and there were some heavy thunder showers in different parts of the province in September. The rainfall of the period was, however, in general defect, and as a result the mean temperature was generally higher than usual. A maximum temperature of 112° was recorded at Montgomery in July, of 112.4° at Mooltan in August and of 109.44 at Mooltan in September. The monsoon withdrew from Upper India on about the 22nd of September but October was somewhat disturbed and showery and the rainfall of the month exceeded the normal at several stations. The mean temperature was generally above the normal. During November the weather was fine and settled practically throughout the month and the mean temperature of the province generally exceeded the normal. There was no rain over the Punjab during December, but the high temperatures which prevailed during November ceased about the middle of December when a cold period set in and continued till the end of the month.
- The Director of Land Records and Agriculture, Punjab, has furnished the following note regarding the prices of food Prices of food grains and wages of labour. grains:—" Prices of food grains at the principal marts of the province have varied but little during the year, the normal rates with which the previous year of abundance closed having been maintained throughout. At Delhi wheat sold wholesale at rates varying from Rs. 2-8-8 to Rs. 2-12-2 per maund, while the highest and lowest rates in the markets of Ferozepore, Labore and Amritsar were Rs. 2-8-0 and Rs. 2-0-9 per maund, respectively. At Mooltan and Ráwalpindi the highest and lowest selling prices for wheat were Rs. 2-12-1 per maund in May and Rs. 2-1-6 per maund in November. The price of maize has throughout remained below Rs. 2 per maund, the rate generally being Rs. 1-13-0 per maund at Delhi, Rs. 1-11-0 at Ráwalpindi and Ferozepore, Rs. 1-10-0 at Mooltan, and Rs. 1-7-0 per maund at Amritsar. The price of ghi has fallen from Rs. 40 to Rs. 30 per maund, at Ferozepore it is now selling at Rs. 28-8-0 per maund as against 41-8-0 per maund last October." With regard to the wages of labour there was no material variation except in Delhi where the rate for skilled labour was higher on account of the Durbar during the second half of the year and in the districts of Jhang and Muzaffargarh where the rates were lower.

Deaths by sex. age-periods, the first point that deserves notice is the Annual Forms II & IV. abnormal excess in the female over the male deathrate. The total death-rate in the province during the year was 41·1 per 1,000 among males and 47·6 among females, as against the average rates of 32·2 and 35·4 during the preceding five years. A glance at the figures by districts in Annual Form No. IV will show that this was due to the unusually higher death-rate registered among females in those districts where plague was most prevalent. If we exclude the plague mortality of 7·02 among males and 10·26 among females, the provincial male death-rate would be 34·1 and the female 37·4, showing a difference of 3·3, the same as in the case of the average male and female death-rates for the previous five years.

Taking the different age-periods, it appears that the provincial female death-rate in 1902 among infants under one year per 1,000 living according to the last census was only 1 per cent. higher than the male as against 3 per cent. in 1901, and among children over 1 and under five, 6 per cent. against 5 in 1901. Between 5-10, the excess was 23 per cent in 1902 and 13 in 1901. At the age-period 10-15, it was 54 per cent. in 1902 and 34 in 1901, and between 15-20, 20-30 and 30-40, the percentages of excess were 28, 20 and 27 as against 30, 18 and 22 respectively in the previous year. These being the child bearing ages, a higher mortality among women has been observed in previous years, though not to such an abnormal extent as in 1902, the marked excess in 10-15 is, in all probability, due to the injurious effects of premature maternity. At the age-periods 40.50 and 50-60 the female death-rate was higher than the male by 14 and 11 per cent. in 1902; in 1901, however, the male rates were 2 and 3 per cent. in excess of the female. Among old persons of 60 years and upwards, the female death-rate exceeded the male by 15 per cent. in 1902 and 9 in 1901.

- During the year the death-rate among 1,000 male infants under one year according to the census of 1901 was 316.44 and among Death-rate of infants female infants 320.76. Calculated on the number of births registered in the province during the year, the male death rate was 233.43 and the female 241.84 per. 1,000. The difference was very great in the districts of Hissar, Ferozepore, Karnál, and Rohtak, in which the destructive epidemic of malarial fevers in the famine year of 1900 had considerably reduced the infant population enumerated in 1901. The infant population at the last census was much below that of 1891. In Hissar the death-rates of male and female infants under one year per 1,000 living according to the census of 1901 were 556 and 469 compared with 256 and 228 calculated on the number of births; in Ferozepore 434 and 497 aganist 243 and 268; in Karnál 428 and 407 against 271 and 268; and in Rohtak 412 and 352 against 249 and 227. A marked excess in the deathrate of female infants was, as usual, observed in the districts of Jullundur, Ludhiána, Ferozepore and Amritsar. The rates for Ferozepore are already quoted; in Jullundur the death-rates based on the population of 1901 were 265 among males and 357 among females and calculated on the number of births recorded during the year they were 250 and 311; in Ludhiána 328 and 421 as against 295 and 342; and in Amritsar 308 and 375 as against 246 and 287.
- 17. During the year the death-rate registered in the province among Mohammedans was 41.88 per 1,000 and among Hindús Deaths according to 46.75 as against 33.58 and 39.14 respectively in the preas es. Annual Form No. vious year. The mortality rate among Mohammedans in the province, taken as a whole, is much less than among Hindús. The rates in different districts, however, vary considerably. In reviewing the Sanitary Report of the Punjab for 1901, the Government of India noticed, as a constant feature of Annual Form No. V, the considerable excess in the Hindu death-rate over the Mohammedan rate in the Hissar District and of the Muhammedan over the Hindu rate in the districts of Lahore and Montgomery. The reason of this, as explained in a separate report submitted to Government, seems to be that in Hissár, which shows a higher Hindu death-rate, the bulk of the Hindu population consists of poor low caste tribes, while in the other two districts. as also in Gujránwála in 1902, the reverse is the case, the poorer classes being mostly Mohammedans. The death-rate among Native Christians was 23.74 per

mille as against 15.57 in the previous year. The low death-rate among Native Christians, as compared with the Hindu and Mohammedan rates, is noteworthy. The death-rate among "other classes" is incorrect, and the Civil Surgeons have been requested to show under "others" the deaths of only those castes whose population is included in the census returns under that head.

- 18. The total deaths registered during the year at the railway stations outside municipal limits was 136 compared with 199 in the previous year. One death was reported from cholera, 5 from small-pox, 10 from plague, 74 from fevers, 5 from dysentery and diarrhoea, 17 from respiratory diseases, 3 from injuries and 21 from other causes. The number of births during the same period was 138 of which 70 were of males and 68 of females.
- In 1902 there were three Divisional Inspectors of vaccination and registration of births and deaths attached to the Delhi, Inspection of birth and Jullundur and Ráwalpindi Divisions. The appointment of special Inspector for the Kangra district, held by the late Rai Bahadur Pundit Bal Kishan, was abolished and the inspection work in the Kángra district was performed by the Divisional Inspector of the Jullundur Division. The appointments of Divisional Inspectors for the Mooltan and Lahore Divisions have been sanctioned during the year, and arrangements are being made for the selection of suitable candidates for the posts. With reference to paragraph 6 of the Review of the Sanitary Report of the Punjab for 1901, I may state that an omission of birth or death means only the total omission of an entry. omissions discovered by Divisional Inspectors and Vaccinators during the year are given by sex. During the year the Divisional Inspectors verified 38,485 male and 35,249 female entries of births, and discovered 935 omissions of male and 1,026 of female births or a precentage of 2.4 among male and 2.9 among female entries checked. They examined 40,585 entries of male and 40,870 of female deaths and found 624 and 688 omissions, respectively, showing a percentage of 1.5 in the case of male and 1.7 in that of female deaths. vaccinators examined 200,815 male entries of births and detected 2,453 omissions of male births or 1.2 in 100 entries checked, they verified 177,448 female birth entries and detected 2,650 omissions of births, a percentage of 1.5. The number of male and female death entries verified by them was 183,658 and 169,455 and the omissions found were 903 and 1,013, the percentage of omissions to entries verified being 0.5 and 0.6. Owing to discrepancies in the returns of Revenue Officers, accurate information can be given only for the last quarter of the year. It appears that they inspected during that period 7,264 male and 6,097 female entries of births, detecting 110 and 69 omissions, they examined 6,093 male and 5,855 female entries of deaths and discovered 75 and 69 omissions, the percentages of male and female birth omissions to entries verified being 1.5 and 1.1 and of male and female death omissions 1.2 and The number of chowkidars fined during the year was 196 and the fines amounted to Rs. 77. Full information will be given in next year's report in accordance with the form prescribed in Punjab Government letter No. 336, dated 7th March 1903.
- 20. In 1902 there were 17 municipal towns in which fines for breach of municipal bye-laws regarding the registration of births and deaths were inflicted; 125 persons were fined and the amount of fines inflicted was Rs. 102. A large number of persons were fined in Bhiwani, Bhakkur in the Miánwáli District, and in Mooltan.
- Deaths among Europeans among Europeans and Eurasians, compared with 98 births and Enrasians.

 and 75 deaths recorded among them in 1901. As stated in last year's report the population of these classes is not available and the rates therefore cannot be calculated.

Section VI.—Chief Diseases.

- almost free from cholera. There were only 371 deaths registered from the disease against 180 in 1901. With the exception of an isolated outbreak which occurred in the month of December in the Kangra district, cholera was almost entirely confined to a few districts in the Delhi Division. Of the total of 371 deaths in 1902, there were 162 recorded in the district of Umballa and 126 in that of Gurgaon. In the Umballa district, the majority of cholera deaths were registered during the months of July, August and September. Cholera was reported in 25 different places in this district, but in no one did the disease assume any serious epidemic character. In the district of Gurgáon cholera prevailed in four villages. It appeared in May, causing 27 deaths in that month and 45 in June. It ceased in July and August, but reappeared in September when a total of 54 deaths was recorded.
- Cholera appeared in the small village of Sansai in the Palampur thana of the Kangra district on the 4th December and the Kángra ceased on the 11th, and in the course of one week there were 65 seizures and 38 deaths. The Military Assistant Surgeon, in charge of the Palampur dispensary, who inquired into the particulars of the outbreak at the time of its occurrence, found that the origin of the disease was due to contamination of the drinking water of one of the village tanks by the washing of the soiled linen of a sepoy who had returned to the village on the 2nd December from Burma suffering from diarrhœa on his way up. Captain E. S. Peck, I.M.S., the Civil Surgeon of the Kángra district, gives the following account of the outbreak in his annual report: - "There were 65 seizures with 38 deaths in the village of Sansai during the month of December 1902. The infection was brought to the village by a sepoy returning from Burma, after the man's death, his wife washed his clothes in the tank from which one-half of the village procured their drinking water. The village is divided into two parts by a nallah (rivulet) and each half of the village has a separate baoli (spring) and tank for drinking water. One-half of the village had no cases of cholera, whilst the other half, the water supply of which had been polluted, developed 65 cases of cholera in seven days. The inhabitants ceased to use the infected water and the tank was disinfected by permanganate of potassium, the cases ceased immediately."
- 24. Small-pox.—The mortality from small-pox in the province in 1902

 Annual form No. VIII. was nearly twice as high as in the previous year, the total number of deaths being 11,629 compared with 6,154 in 1901. The death rate was equal to 0.58 per 1,000. It was 0.27 in excess of that of 1901, and 0.22 higher than the mean ratio for the preceding five years.
- 25. Of the total deaths from small-pox, 6,099 were registered among small-pox mortality by males and 5,530 among females. Relatively to the population of each sex there was very slight difference between the male and female death rates which, in 1902, were 0.56 and 0.59 respectively as against 0.3 and 0.31 in the previous year.
- 26. There were 3,045 deaths registered among infants under one year of age, being 26 per cent. of the total small-pox deaths in the province. This proportion is one per cent. higher than in the previous year. The number of deaths reported among children over one and under ten years was 5,823 or 50 per cent. of the provincial mortality compared with 53 in 1901.
- 27. The seasonal prevalence of the disease in 1902 was in accordseasonal mortality.

 ance with the experience of previous years. The mortality
 began to rise in November last, went on increasing up
 to the month of May when it reached the maximum, the downward tendency commenced in June, and the deaths went on declining gradually until
 the lowest figure was recorded as usual in October.

- In every district of the Delhi Division, except Simla, the deaths from small-pox in 1902 were considerably below the Mortality by districts. average for the previous quinquennial period, being only 4 per cent. of the provincial mortality registered during the year. This immunity is owing to the periodical abatement of the disease. Small-pox has its periods of maximum and minimum prevalence. For instance, the districts of Hissár and Gurgáon in the Delhi Division which this year show a mortality of only 47 and 130 from small-pox, had recorded in the year before last no less than 1,301 and 1,641 deaths or very nearly one-third the number registered in all the districts of the province. In the Jullundur Division, the district of Kangra, as usual, recorded the lowest death rate. only 30 deaths registered in it, giving a ratio of 0.04 per mille. Ludhiána also had a very low rate of 0.1. The disease was very prevalent in the Jullundur and Hoshiarpur districts of this Division, in which the death rates were largely in excess of the average for the previous five years. The rate of mortality in the Lahore Division was higher than the normal in all the districts, except Siálkot. The principal sufferers were Montgomery and Lahore in which the deaths recorded in proportion to the population were 1.14 and 0.8 per 1,000. Montgomery suffered very badly last year also. The epidemic was very severe in the Ráwalpindi and Mooltan Divisions. No less than one-half the mortality of the province was recorded in these two divisions. The highest death rates were registered in the districts of Shahpur and Muzaffargarh, viz., 2.15 and 1.88, the maximum district mortality ratios of the year in the province. mean rates for the previous five years in these two districts were only 0.31 and 0.47 per 1,000. On referring to the Vaccination Report for the year 1901-02, it appears that in the districts in which small-pox was very prevalent during the year under review, the number of persons successfully vaccinated per 1,000 of population was, with one or two exceptions, lower than the average for the province, and very much below the rate for the best vaccinated district of Kangra.
- The death rate from small-pox during the year in the 140 Small-pox mortality in towns, as a whole, was 0.9 per 1,000 or nearly double municipal towns. Annual the rate registered in the rural circles of the province. Form VI B. The highest death rates from the disease were recorded in the following towns:—Pindigheb in the Ráwalpindi district 11.83 per 1,000; Srigobindpur, Dinánagar and Gurdáspur, all in the Gurdáspur district, 10.05, 8.67 and 5.3 respectively; l'atti in Lahore 6.84, Kila Didar Singh in Gujránwála 665; Kartárpur in Jullundur 5.63; Khushab in Sháhpur 5.52; Kunjah in Gujrát 5.29; and Duniapur in the district of Mooltan 5.12. In Patti, Kartárpur and Gurdáspur a high death rate from small-pox was registered last year also. In none of these towns is vaccination compulsory, and in all of them, with one exception, there was a large number of children remaining unvaccinated in 1901-02. The Civil Surgeons were asked to vaccinate all persons available for the operation but the general complaint is the opposition of townspeople to vaccination.
- 30. It is gratifying to observe that in the 22 towns in which the Small-pox in towns in Vaccination Act is in force, the mortality from small-which vaccination is compox was comparatively low, i.e., 0.6, the highest rate reported in Pind Dádan Khan did not exceed 1.6 per mille. In Jullundur it was 1.4 per 1,000, in Mooltan 1.1, in Dera Gházi Khan 1.1, and in Gujránwála 1.2. In 13 towns it was less than 1 per 1,000, and in 4 not a single death was recorded. The attention of local officers has been specially invited to the necessity of enforcing the provisions of the Vaccination Act in these towns.
- Plague.—Plague was most severe in the Punjab in 1902. It Annual form VI A and accounted for no less than 171,302 deaths, yielding a rate of 8.52 per 1,000 of the population, equal to about one-fifth of the total mortality from all causes in the province. There was an increase of 156,343 deaths from the disease over the number recorded in the previous year. The female death rate from plague was, as usual, much higher than the male; the number of deaths registered among females in 1902 was 95,519, at the rate of 10.26 per 1,000, and among males 75,783, equal to a rate of 7.02 per mille.

- As stated in last year's report, the epidemic broke out in the winter months of 1901. From 941 deaths in October 1901 the mortality. number rapidly increased to 3,123 in November and to Monthly Returns published in Punjab Government 6,053 in December. In January 1902 the deaths rose to 9,369 and in February to a figure as high as 19,712. epidemic was at its height in March and April. In these two months the deaths registered were as many as 47,956 and 52,956, or threefifths of the entire plague mortality of the year. In May the disease abated considerably, the deaths having fallen to 24,099 in that month. In June the number suddenly declined to 3,025 and in July it dropped to a figure as low as 333. In August it fell to a minimum of 166. From September the disease began to show signs of renewed activity, though the recorded mortality in this month did not exceed 343. In October the recrudescence was very marked, the deaths suddenly rising to 1,607. In November and December the epidemic assumed a more virulent character than the previous one. the deaths having increased to 3,897 and 7,839 showing an excess of 774 and 1,786 compared with the plague mortality registered in the corresponding months last year. This was anticipated, as the epidemic had extended in March and April to a considerably wider area than in any previous year since the importation of the disease in this province in 1897.
- 33. The disease was confined during the year mostly to the central and thickly inhabited portion of the province. The districts Annual Form No. II. in the Delhi Division, except Umballa and Karnál, the hilly districts of Kangra and Simla and, with one or two exceptions, the sparsely populated districts in the Ráwalpindi and Mooltan Divisions, including Montgomery, were practically free from plague. The greatest sufferer was the district of Ludhiána. It lost during the year 71 per 1,000 of its population from plague. The deaths recorded in this district were no fewer than 47,671 or more than one-fourth of the total deaths from plague in the province. epidemic was at its worst in the months of March and April in which 19,119 and 16,737 deaths, respectively, were registered, or three-fourths of the total plague mortality of the district during the year, and at an annual rate of 319 per 1,000 of the population. Next to Ludhiéna, the districts of Umballa and Siálkot suffered most severely, the deaths registered in them amounting to 22,902 and 28,258 and yielding death-rates, relatively to population, of 30 and 26 per mille. The districts of Jullundur and Gurdáspur had 17,364 and 14,731 deaths at the rates of 19 and 16 per 1,000. Hoshiárpur and Lahore stood sixth and seventh in the order of plague mortality, recording 12,821 and 11,814 deaths, equal to a rate of 13 per mille in the former and 10 in the latter district. In these seven districts ninety per cent. of the provincial mortality from plague was registered. The remaining ten per cent, was recorded mostly in the districts of Ferozepore, Amritsar and Gujránwála, in which the deaths varied in round numbers between six and three thousand. In all the plague-infected districts, particularly in those in which the highest mortality was registered, the epidemic, with slight variations, ran the same course, increasing rapidly in the winter months, reaching its climax in spring, declining suddenly with the commencement of the hot weather and disappearing almost entirely in the months of July, August and September.
- Rural and urban death-plague for the province, as a whole, was very little, the rate of 8.58 per mille in the rural circles being slightly in excess of 7.95 in towns. In the most severely infected area, comprising the seven districts referred to in the preceding paragraph, the village death-rate of 24.6 exceeded the town ratio of 19.4 by 5.2 per 1,000.
- 35. In the district of Ludhiána, in which the highest mortality from Rural and urban death-plague was registered, the rural death-rate was 70.38 or ates in the Ludhiána 3.46 below the rate in towns. The town of Ludhiána, with a population of nearly half a lakh, had a death-rate as high as 46.9 per mille. In the minor towns of the district the ravages committed by the disease were fearful. Ráikot and Máchhiwára were almost decimated, Jagráon lost 11 per cent. of its population and Khanna no less than 14 per cent.

The havor worked by plague in many smaller villages was terrible. Ráf Báhadur Dr. Fatteh Chand, the Civil Surgeon of this district, gives instances of 22 villages in which the most appalling death-rates ranging from 20 to 40 per cent. of the population were registered. The plague reports of this and other districts have been sent by Civil Surgeons direct to the Chief Plague Medical Officer, but from a brief note received from the Civil Surgeon of Ludhiana it appears that rats, as a rule, were found dying in every village before the commencement of outbreaks of the disease among the inhabitants, and that those villagers who went out at the discovery of rats dying and did not visit their houses mostly escaped. In a large number of villages cases occurred with purely cerebral symptoms at the commencement of the outbreaks, and as the disease advanced buboes became general in nearly every case. Whether the first cases were of cerebro-spinal fever or plague, the Civil Surgeon is unable to say, as no blood examination was made.

- 36. The plague mortality in the rural circles of the Umballa district amounted to 30 per 1,000, a little over 3 per mille higher than the town rate. The epidemic was most fatal in the small town of Rupar, in which an excessively high rate of 90 per 1,000 was reported. In the large town of Umballa the deaths from plague were recorded at the rate of 27.9 per mille.
- 37. In the district of Siálkot, the death rate of rural circles was 26.8 per 1,000, showing an excess of 6.5 over the urban rate. The smaller rate in towns is due to the fact that in Siálkot, the only large town in the district, the death-rate from plague was comparatively very low, being only 8.5 per 1,000. The disease was most severe in the small town of Jámke in which a terrible rate of 116 per mille was registered. In Daska and Pasrúr the epidemic was very severe, the rates recorded in them being 48.1 and 37.4 per 1,000.
- 38. Every town in the Jullundur district was infected, but the average urban death-rate of nearly 14 per 1,000 was 6 per mille less than the rate in rural circles; the highest death-rates were registered in the small towns of Nakodar and Aláwalpur, viz., 55.5 and 32.3 per mille. In the large town of Jullundur the rate was a little below 8 per 1,000.*
- 39. The mortality caused by plague in the rural circles of the Gurdáspur district.

 Gurdáspur district.

 Gurdáspur district.

 district was 16.2 per 1,000, compared with a rate of 9.7 in towns. The large town of Batála had a death-rate of only 0.37 per 1,000. Of the minor towns, except Sri Gobindpur and Dalhousie, none escaped, the principal sufferer being the small town of Gurdáspur, the head-quarters of the district, in which the plague mortality was as high as 42.6 per mille.
- 40. In the Hoshiárpur district the village death-rate of 12.6 per 1,000 was lower than the urban rate by 4.6 per mille. Of the minor towns, Harriána and Anandpur suffered very severely, their death rates being 40.5 and 37.4, respectively. The town of Hoshiárpur also was badly infected; its death rate from plague was 22.3 per 1,000.
- the Lahore district.

 Lahore district.

 per 1,000 in the rural circles. Of the towns, Kasúr was the only one which suffered to any great extent, the death-rate registered in it being 24.4 per 1,000. It is worthy of note that, although the district was badly infected by plague, Lahore itself with its large population of 186,884 had a death-rate of only 0.7. Great improvements have in recent years taken place in the sanitary condition of Lahore. But it is too early yet to attribute the immunity of the town solely to its improved sanitation.
- Full report to be submitted by the Chief Plague Medical Officer, Punjab, will submit a special report to the epidemic, giving fuller details of the outbreaks in different parts of the plague-infected districts, the character of the disease, the way in which the infection was carried from place to place, and the effect of inoculation and other precautionary measures taken to prevent the spread of the disease.

- deaths from fevers in the province as compared with the preceding year. During the year under review, there was a further decrease of 34,683. The deaths in 1902 numbered 473,352, corresponding to a rate of 23.54 per 1,000, which is 1.72 below the rate for 1901 and 8.83 lower than that of 1900. As regards the prevalence of fevers, the year was a fairly normal one, the mortality being only 0.97 per mille above the mean ratio for the previous quinquennium. The monsoon rainfall was below the normal, excepting some local heavy showers in parts of the Delhi Division between the 18th and 20th July, and there was a marked absence of the increase in the autumnal fever mortality noticed in epidemic years.
- Districts with high mor. prevalence of fevers, compared with other parts of the protality. prevalence of fevers, compared with other parts of the protality. prevalence of fevers, compared with other parts of the protality. prevalence of fevers, compared with other parts of the protality. prevalence of fevers, compared with other parts of the protality. Protate of the Delhi Division, viz., Hissár, Rohtak, Gurgáon, Delhi and Karnál, in which the fever deathrates ranged between 30 to 33 per 1,000. These were the highest district rates recorded during the year, and from 6 to 10 per mille in excess of the provincial ratio. In Hissár, Karnál and Rohtak the mortality from malarial fevers was very high in the last four months of the previous year, and in these, as also in the districts of Gurgáon and Delhi, the fever rate was abnormal in January to April or May 1902, and in Hissár and Karnál higher even than their autumnal mortality.
- 45. The unusual increase in the fever mortality of the Hissár district Cerebro-spinal fever in during the first quarter of 1902 is ascribed by the Civil the Hissár district. Surgeon, Dr. Courtney, to cerebro-spinal fever of a very severe and fatal type which prevailed in an epidemic form during that period. The outbreak was preceded by pneumonia and was due to the deteriorated condition of the population from previous privations. Dr. Courtney had ten cases under his own observation in the Police Hospital, Hissár, and in every one he found by post-mortem examination the symptoms typical of cerebro-spinal meningitis. He also saw a case in the Hospital at Sirsa and four in the Hissár city, and in three of these the symptoms were still well marked. The Assistant Surgeons of Hissár and Bhiwáni together saw a case in the city of Bhiwáni and another in the Dispensary, both of which had similar symptoms. In a large number of cases reported as "fever" the symptoms described by Hakíms, educated natives and others, were those of cerebro-spinal fever and the mortality was very high and rapid.
- Cerebro-spinal fever in in the first half of the year; the mortality from fever was very high, being 33.6 per 1,000 against the average of 18.6 for the same period during the previous five years. The disease was also present in the district to a very slight extent. But the total number of deaths which occurred both in this and the Hissár district could not be ascertained. Major Davidson, the Civil Surgeon of Delhi, detected the presence of the disease in the city in February. He held post-mortem examinations in a few suspicious cases which were first considered as virulent cases of plague, and he found that the disease was cerebro-spinal meningitis. Cases daily came under his observation and most of them of an acute type, the patients dying in one or two days. No buboes were discovered in them.
- Districts with low fever and the head of fevers in the districts of Ludhiána and Ferozepore, and, to a lesser extent, in Montgomery and Lahore. In the Ludhiána district, the fever rate during the year was only 17.68 per 1,000 compared with 34.44 in 1901, showing a reduction of nearly 17 per 1,000. Possibly some portion of the mortality in this district from fevers was registered as plague. In Ferozepore and Lahore the death-rates of 27.25 and 21.47 were nearly 13 and 7 per mille below the rates in the previous year. Next to the small hilly district of Simla, which recorded a death-rate of 8.83, Montgomery had the lowest fever mortality in 1902, being in the proportion of 12.08 per 1,000 of population.

- The mortality from fevers in 1902 was higher than in the previous year in all the districts of the Rawalpindi and Increase of fever death-Mooltán Divisions except Gujrát. The increase was most rates in the Ráwalpindi and Mooltan Divisions. marked in the districts of Jhelum and Ráwalpindi, in which the fever death-rates of 24.75 and 23.69 were 7 per 1,000 in excess of the rates in 1901. In both the districts the fever mortality was very high in the winter months of the year under review. The prevalence of a disease of an infectious nature in a village in the Gujarkhan tabsil of the Rawalpindi district was on enquiry found to be pneumonia in an epidemic form, brought from the Lahore Central Jail by the relatives of a warder who had died there from pneumonia in November. Pneumonia was reported to be very prevalent in the Ráwalpindi district, and it is highly probable that deaths from that disease or perhaps from cerebro spinal meningitis were reported as fever, in many parts of the Ráwalpindi and Mooltan Divisions. Since writing this report intimation has been received of the occurrence of an outbreak of cerebro spinal fever in the Dera Ghazi Khan district in the month of February of the current year.
- 49. With reference to Government of India letter No. 1775 (Medical), Measures taken for the dated the 16th December 1901, trial measures for the destruction of mosquitoes. prevention of malaria by the destruction of mosquitoes were carried out in Gujráuwála and Gujrát, but with very little success, owing to the operations being stopped in Gujrát before the breeding time of the anopheles and on account of the outbreaks of plague in both the towns. A separate report on this subject was submitted to Government, and the experiments will be started again from 1st of August this year.
- Major Addie's inquiry last six months of 1901, Major J. R. Addie, I.M.s., into the prevalence of anotheles.

 time in a very interesting inquiry into the prevalence of anopheles in his district, and their relation to fever. He has furnished a lengthy report embodying the results of his investigation. The report contains much valuable information.
- 51. The attention of local officers was particularly called to the Filling up and draining subject regarding the filling up or draining of pools of pools around villages. around villages, referred to in the concluding portion of paragraph 11 of the Review of the Sanitary Report for 1901. In several districts the matter was under consideration during the year. But nothing worth noticing was done in this direction on account of the terrible sufferings caused by the epidemic of plague in many parts of the province, apart from the almost insurmountable difficulty of want of funds required for the purpose. Satisfactory progress, however, was made during the year in the distribution of quinine, as will be seen from the remarks in Section X of this Report.
- diarrhœa in the province during the year were 14,124 as against 14,722 in 1901. The death-rate of 0.7 per mille was 0.13 lower than the mean ratio for the preceding five years. The largest number of deaths from these diseases was registered in September and October and the smallest in February and March. The death-rate of 0.43 per mille registered in the Hissár District, though higher than 0.56, the rate for the previous year, was very much below 3.64, the mortality in the famine year 1900. The districts which recorded a comparatively higher rate than others were:—Gurgáon 1.17, Delhi 1.34, Umbálla 1.29, Simla 1.57, Gurdáspur 1.49 and Siálkot 1.08, and those which registered the lowest rates were Dera Gházi Khan 0.27, Montgomery 0.23, Muzaffargarh 0.32, Rohtak 0.35 and Ferozepore 0.37.
- The urban death-rate of the province from these diseases was four Urban and rural death- times as high as in the rural circles, being 2·16 per 1,000 rates. against 0·54. Excessive rates were recorded in the following towns:—Kalabágh in the Miánwáli district 9·96 per 1,000, Pind Dadan Khán 9·22, Khánpur (notified area) a suburb of Hoshiárpur 6·23, Buria in the Umballa district 5·63, Firozepur and Sohna in the Gurgáon district 5·22 and 5·15 and Ballabgarh in the Delhi district 5·1. Dysentery and diarrhosa and fever rates

rise concurrently, and it is worthy of note that in all these towns, with one exception, malarial fevers were very prevalent during the year.

- Annual Forms No. II and Government of India conveyed in letter No. 1530—1542, VI A. and B. dated the 13th August 1901, the deaths from respiratory diseases are shown separately in the returns for the year under review. The variation in the mortality from these diseases in different districts is extraordinary, viz., from 9·1 per 1,000 in Gurdáspur to a figure as low as 0·3 in Rohtak. The classification of the diseases under this head is manifestly incorrect, and there is hardly any remedy for it, as nothing better can be expected from the illiterate village chaukidars who at present perform the responsible duty of reporting the causes of deaths in rural circles.
- Comparing the figures under this head by districts, it appears that the highest rates from diseases of the respiratory organs Mortality by districts. during the year were all registered in those infected by plague, viz., 9·1 per 1,000 in Gurdáspur, 6·4 in Amritsar, 6·3 in Hoshiárpur, 5·9 in Umballa, 5.3 in Siálkot, 4.8 in Jullundur, and 4.5 in Ludhiána, as against the provincial ratio of 2.8. I do not think this is due to misclassification of the deaths from plague to any great extent. The female death-rate from plague in these districts was, as is always the case, much higher than the male, i.e., 23.07 against 19.13, while the proportion of female to male deaths in them from respiratory diseases was 6.44 to 5.84. I am unable to give any reason for the high death-rates from respiratory diseases in the districts mentioned above. But judging from these and the still higher rates registered from respiratory diseases in many of the municipal towns, vide Annual Form VI B, I have no doubt that the low rates of one or less than one per 1,000 recorded under this head in the districts of Hissar, Rohtak, Gurgáon, Montgomery and Gujránwala and in most of the districts of the Ráwalpindi and Mooltán Divisions, fall considerably short of the actual mortality in them.
- 56. Injuries.—Under the head of injuries a total of 6,392 deaths were Annual Form No. VI A. reported in the province during the year, compared with 6,303 in 1901. The number included 315 deaths from suicide, 451 from wounding, 4,437 from accidents and 1,189 of persons killed by snake-bite and wild beasts. As usual, the deaths from suicide were greater among females than in males, being in the proportion of 172 to 143. The largest number of deaths due to wounding was 62 in Lahore, 43 in Ráwalpindi and 37 in Amritsar. The mortality caused by snake-bite amounted to 1,029 against 862 in the previous year. From hydrophobia 98 deaths were reported during the year compared with 76 in 1901.
- 57. During the year ending 8th August 1902, there were 543 patients

 Patients treated at the Pasteur Institute at Kasauli or 222 more than in the preceding twelve months. The number of European patients was 215, and of natives 328; the number treated last year being 146 and 175, respectively. There was no death among European patients, among the native patients there were five failures.
- 58. All other causes.—During the year the mortality from all other causes amounted to 152,788 at the rate of 7.6 per 1,000 of population, compared with 8.8 in the previous year. In 14 districts the death-rate from unspecified causes was above the provincial average. The lowest rates were recorded in Dera Ghazi Khan 2.4, Muzaffargarh 3.1, Miánwáli 3.2, Gurdáspur 4.4 and Hoshiárpur 4.9.

Section IX.—Sanitary Works.

- The Annual Report of the Sanitary Engineer, Punjab, on Sanitary
 Works, for the year 1902, is given as Appendix B to my
 Report, in accordance with the instructions conveyed in
 paragraph 2 of Punjab Government letter No. 550, dated the 14th March 1903.
- Compared to the sale of manure in the municipal towns fetched Rs. 1,55,674 as against Rs. 1,50,471 in the previous year. The largest sums were realized in the following towns:—Amritsar Rs. 43,131 against Rs. 40,036, in 1901, Delhi Rs. 10,809 against Rs. 14,139, Lahore 12,260 against Rs. 11,327, Siálkot Rs. 13,987 compared with Rs. 9,209, Gujránwála Rs. 7,272 against Rs. 7,582, Mooltan Rs. 6,159 against Rs. 5,334 and Ludhiána Rs. 3,793 against Rs. 5,531.
- 61. During the year 5,771 wells were cleared and 1,523 parapets conclearance and repairing structed at a cost of Rs. 34,242, showing a considerable increase as compared with the previous year. Great progress in this respect has been made in the districts of Mooltan, Hoshiárpur, Gujránwála, Jhang, Karnál, Gujrát, Miánwáli, Gurdáspur, Siálkot, Ferozepore, Rohtak, Montgomery and several others. In the Mooltan district as many as 2,498 wells were cleared and 1,113 parapets constructed at a cost of Rs. 15,136.
- The District Board of Káwalpindi paid a reward of Rs. 155 Rewards and khillats for to village communities and it was distributed by 1st, improved village sanitation. 2nd and 3rd prizes. The amount of the prizes was paid as part of the land revenue demand. The allotment of Rs. 200 sanctioned by the District Board, Muzaffargarh, was not availed of during the year. In the Gujrát district, the District Board agreed to pay rewards to two villages in each tabsil which showed the best results, but no rewards were allowed during the year. The Deputy Commissioner, Gujránwála, states "that the question of the importance of village sanitation is every now and then prominently brought to the notice of village communities through their representatives who attend the meetings of the District Board, but it is to be regretted that no village with any pretensions to cleanliness has yet come forward to claim the reward lately offered by the District Board for this purpose." The Deputy Commissioner, Jhang district, states "that the Jhang District Board has arranged to carry out Government proposal by selecting a village which showed interest in village sanitation and Rs. 50 per village has been sanctioned by the District Board to be paid towards the revenue of the village. Tahsildars report that no application was received for the grant of the reward in question. They have, however, been directed to see to this when they inspect villages when on tour." In the Sialkot district the Deputy Commissioner states that the granting of rewards for the best kept villages will be considered during the current year. In connection with this subject the Deputy Commissioner, Jullundur, states, "that last year a sanitary sub-committee was appointed by the District Board to submit a quarterly report on the sanitation of villages. These reports are regularly submitted. At the request of the sub-committee all the lambardárs were addressed to arrange for the cleaning of their villages by sweepers paid from a bachh. It is reported that in seven villages of the Jullundur Talisil and in the whole of the Nakodar Tahsíl the above arrangements have been carried out and are working fairly well."
- 63. In the district of Hissar 955 villages were supplied with the village sanitary note books. Of this number 151 were inspected by the Civil Surgeon, Tahsildárs, Naib Tahsildárs and field Kánúngos at the time of visiting the villages, and necessary remarks on the sanitary condition of the villages were recorded by them in these books. The Deputy Commissioner, Karnál, states that village sanitary note books were maintained in 28 unheathly villages of the Karnal, Panipat, Kaithal and Thanesar Tahsíls, and they supply valuable information to the

inspecting officers regarding sanitary improvements. It is intended to extend the system to other villages. In the Gurdáspur district sanitary note books have been maintained in 24 villages. The Deputy Commissioner, Siálkot, states that all the notified areas, 9 in number, have been supplied with village note books. In the Shahpur district the village sanitary inspection note book has been tried in 16 villages. In the Ráwalpindi district 135 villages were supplied with the village sanitary note books. The Deputy Commissioner, Miánwáli, states "that 12 chief villages of this district were, in consultation with the Civil Surgeon, supplied with village sanitary inspection books during the year under report and necessary instructions as to their proper maintenance and regular record of remarks by officers of the district staff were issued. The Tabsildars and Naib-Tabsildars make their remarks in the note books on occasional visits to these villages and send them on to the Civil Surgeon in order that the information may be abstracted for permanent record in his office. The books may prove useful in giving information to the inspecting officers regarding the sanitary improvements in villages, and, if successful, the system will be extended to other villages also."

64. During the year 1901-02, the following works of public utility were constructed by private individuals at their own expense to serve sanitary purposes:—

One pucca dharmsala at Bhiwani in the Hissar district was built by Lala Lachhi Ram, son of Lala Siri Ram, Mahajan Delhi Division. of Bhiwani, at a cost of Rs. 6,300. In the Rohtak district, Baldeo Sahai, son of Tuchha Ram, Mahajan of Jhajjar, constructed a pucca well and a bungalow on the Jhajjar-Rewari road at a cost of Rs. 3,000. Two dharmsalas and two wells on the Rewari-Jatusana Gurgáon road in the district were constructed by Badri Parshad, and Sansari Mal, Mahajans of Rewari, at a cost of Rs. 2,000 each. Mussammat Bhagwan Dai, widow of Lachman Dás, Bania of Delhi, constructed a dharmsala and well at Naranda on the Delhi-Gurgáon road at a cost of Rs. 4,000. Jagan, son of Neiki, Jat of Sonepat in the Delhi district, constructed a dharmsala and a pucca well on the Juan-Chatana village road near Sonepat at a cost of Rs. 1,200. In the Umballa district a pucca serai (rest-house) at Bilaspur was constructed by Nand Lal and Kirpa Ram, sons of Hazari Mal, Bania of Bilaspur, at a cost of Rs. 4,125.

In the Muzaffargarh district, Tahlia Ram, son of Thakri Ram, Mahajan, Kukeja of Khairpur, constructed a pucca Musafar Khana (rest-house) at Khairpur at a cost of Rs. 1,480. Chaudri Narain Singh and Sita Kishen, sons of Chaudri Khem Singh, Babla of Shujabad in the Mooltan district, constructed a kacha-pucca serai, together with a well, for the use of travellers at the Railway Station, Shujabad, at a cost of Rs. 4,381.

Section X—General Remarks and Personal Proceedings.

- During the year I was in charge of the office of the Sanitary Com-65. missioner, Punjab, up to 8th July, when I proceeded to Eng-Administration. land on three months' privilege leave. During my absence Captain E. Wilkinson, I.M.S., carried on my duties in addition to his own as Chief Plague Medical Officer, Punjab. I resumed charge of my duties on the forenoon of the 7th of October. The appointment of Deputy Sanitary Commissioner, Punjab, was held from 1st January to the 30th June by Captain E. Wilkinson in addition to his duties as Chief Plague Medical Officer, and from 1st July to the end of the year by Captain W. F. Harvey, I.M.S. As Captain Wilkinson throughout the tenure of his office was employed on special plague duty as Chief Plague Medical Officer, Punjab, and as Captain W. F. Harvey, I. M. S., was busy in the performance of the experiments regarding the protective efficiency of Vaseline Lymph, referred to in Punjab Government letter No. 410, of the 29th March 1899, they both were unable to pay full attention to their ordinary sanitary work.
- 66. In January I proceeded to Mung Rasul Jail accompanied by Lieutenant-Colonel Little, I. M. S., to inquire into the cause Inspection work of Saniof cerebro-spinal fever prevailing in that jail, then visited the Miánwáli district and inspected the sanitation and vaccination of the towns of Isakhel and Bhakkar and some 16 villages. In February I inspected the sanitation and vaccination of the town of Leiah and 50 large and small villages. I then proceeded to Dera Gházi Khan, Muzaffargarh, Mooltan, Shujabad and Jalapur. At the request of the Manager, N.-W. Railway, I visited Bhatinda, to advise on the water supply for the Railway community of that station. On my return I inspected vaccination in the villages of the Lahore Tahsil and inspected the town of Kasur. After this I had to go to Delhi to inspect sites for Camps for the Coronation Durbar. In March I went to Thanesar to meet the Commissioner to advise what should be done to improve the arrangements for the Eclipse Fair. I then visited Delhi and Ferozepore, and after that went to Sirsa, Hánsi, Hissár and Bháwáni to investigate the cause of the high death-rate from fever and next inspected Karnál. In April I visited Kalka, Kasauli and went to Jullundur city to consult with the Commissioner regarding vaccination in the plague infected areas, and thence proceeded to Delhi in connection with the sanitary arrangements of the Coronation Durbar. I then went on inspection duty to Ráwalpindi and Gujrát and visited Murree to inspect the Animal Lymph Depôt. In May I inspected the Lawrence Memorial Asylum at Murree and also the towns of Gujránwála and Lyallpur, and went up to Kasauli to inspect the Lawrence Military Asylum at Sanawar. After this I visited Pathankot and Dalhousie, then inspected the city of Lahore and went up to Simla. In July I went on 3 months' privilege leave, and on my return in October I had to visit Delhi on several occasions, and finally halted at Delhi from November till the end of January acting as Administrative Medical and Sanitary Officer of the Delhi Coronation Durbar in addition to my other duties.
 - 67. In my capacity as Professor of Hygiene, I delivered the usual number of lectures on Hygiene. Of lectures to the students of the Medical College, Lahore.
- 68. Captain E. Wilkinson visited the following municipal towns:—Amritsar, Jullundur, Nakodar, Pasrur, Kila Sobha Singh, Siálkot,
 Khusháb, Zafarwal, Shakargarh, Gurdáspur, Batála, Delhi,
 Umballa, Rupar, Kálka, Gujrát, Pathánkot, Lalhousie and
 Ferozepore. Captain Harvey visited the towns of Amritsar, Umballa, Murree,

Ráwalpindi, Miánwáli, Lyallpur, Mooltan and Jullandur. In addition to the above Captain Wilkinson visited 29 villages and Captain Harvey 57.

- Inspection work of Civil villages compared with 182 towns and 1,111 villages in the previous year. The Assistant Surgeons inspected 29 towns and 75 villages compared with 28 towns and 205 villages in the year 1901. The largest number was inspected by the Civil Surgeons of Hoshiárpur, Siálkot, Muzaffargarh, Gujránwála and Ludhiána districts.
- 70. With regard to the gratuitous distribution of quinine it appears that Gratuitous distribution in the districts of Hissár, Gurgáon, Kángra, Hoshiárpur, of quinine. Ferozepore, Siálkot, Gujránwála, Gujrát, Jhelum, Ráwalpindi, Miánwáli, Jhang and Dera Gházi Khan quinine was distributed by Vaccinators, Zaildárs, Lumbardárs and the Medical Staff. In the Ferozepore district the sum of Rs. 586 was spent by the District Board on quinine during the year. In the Ráwalpindi district the grant for this purpose was raised by the District Board from Rs. 200 to 300 per annum. In the Muzaffargarh district the annual supply of quinine has been increased from Rs. 100 to Rs. 300. From a note received from the Office of the Inspector-General of Civil Hospitals, Punjab, it appears that Civil Surgeons have no concern with the sale of pice packets of quinine at Post Offices. Since December the work of selling quinine to Post Offices for sale to the public has been transferred to the Lahore Central Jail.
- 71. With reference to the order of the Government of India conveyed in letter No. 57, of the 8th January 1900, directing that a brief history of the sanitary arrangements of all new towns formed within railway precincts be given, I have been informed by the Manager, North-Western Railway, that during the year under report no new towns were formed.
- The following Municipalities dispose of sewage to cultivators, viz., 72. Delhi, Ludhiána, Lahore, Amritsar and Gujránwála, and Sewage irrigation. the prices charged vary. In Amritsar the area under sewage cultivation during the year was 383 acres or 63 more than in the last year, and the total income amounted to Rs. 3,148. The sewage was last year leased on contract, the contractor being bound to recover Rs. 10 per acre for plots near the city and Rs. 6 and 4 for more distant fields. In Delhi acres were irrigated by sewage and Rs. 8 per acre were paid by cultivators. In Ludhiána 36 acres were under irrigation and Rs. 4-10 per acre were paid. In Lahore 203 acres were irrigated by sewage or 36 acres more compared with last year, and the average rate realized was Rs. 15 per acre. It is hoped that the area under sewage irrigation will shortly be increased. In Gujránwála 30 acres of land were irrigated by sewage, and the average rate, Rs, 7-13 per acre, was realized for the use of the sewage.
- 73. In accordance with the order of the Punjab Government conveyed in Proceedings of the Sani. letter No. 550, dated 14th March 1903, a brief summary tary Board. of the proceedings of the Sanitary Board, Punjab, is given in Appendix A to this Report.

Lahore:
The 15th May 1903.

C. J. BAMBER, LIEUT.-Col., I. M. S.,

Sanitary Commissioner, Punjab.



APPENDIX A.

PROCEEDINGS OF THE SANITARY BOARD.

The Sanitary Board, Punjab, met seven times during the year 1902. The following is a brief account of the work done by the Board:—

- (1). Simla Bazar Drainage.—The papers in connection with this scheme were forwarded to the Local Government for sanction.
- (2). Ráwalpindi Drainage Scheme.—The papers regarding this scheme were forwarded to the Local Government with the suggestion that for the drainage project originally sanctioned by Government, the amended one should be substituted.
- (3). Amritsar water-supply.—The new site was approved by Government and the work is now in progress.
- (4). Water Main, Simla.—The scheme in connection with the distribution system of the water main, Simla, was referred to the Sanitary Engineer, Punjab, and his suggestions were put before a meeting of the Board and recorded.
- (5). Extramural drainage of Mooltan.—The scheme was approved of generally as explained by the Sanitary Engineer, and he (the Sanitary Engineer) was directed to refer it to the local Executive Engineer to work out further details; the Sanitary Engineer was also asked to communicate with the Commissioner, Mooltan Division, on the subject of raising the necessary loan.
- (6). Extramural drainage of Ferozepore City.—This scheme was approved by the Board and the papers connected with it were referred to the Commissioner, Jullundur Division, for necessary action.
- (7). Gojra Drainage Scheme.—The papers relating to this scheme were approved by the Board and forwarded to the Commissioner, Mooltan Division, for transmission to Government.
- (8). Toba Tek Singh Drainage Scheme.—This scheme was approved by the Board and the papers in connection with it were forwarded to the Commissioner, Mooltan Division, for transmission to Government.
- (9). Sangla Drainage Scheme,—The scheme for Sangla was approved by the Board subject to certain recommendations of the Sub-Committee of the Sanitary Board and the papers relating to it were forwarded to the Commissioner, Lahore Division, for necessary action.
- (10). Distribution system of the Simla water-works and for providing fire protection at the new Civil Secretariat, Government of India and the Foreign Office.—The scheme was approved by the Board and the connected papers were forwarded to the Commissioner, Delhi Division, for further action.
- (11), Construction of 26 trench wells at Lahore.—The estimate was approved by the Board and forwarded to the Commissioner, Lahore Division, for disposal.
- (12). Scheme for sinking additional supply wells in the Lahore Fort Paradeground.—An application has been made to the Military authorities for the sanction of the sinking of the additional supply wells.
- (13). Selecting of sites for new towns.—With regard to the subject of the selection of towns in colonies a copy of the Resolution, passed at the Meeting of the Sanitary Board, Punjab, dated 26th September 1902, regarding Toba Tek Singh, was forwarded to the Financial Commissioner, Punjab, for communication to the Settlement Commissioner and Colonization Officers. A copy of the same was also forwarded to the Secretary to Government, Punjab, Public Works Department, Buildings and Roads Branch, with the suggestion that sites for new towns should, where possible, be selected by a Committee on which the Sanitary authorities should be represented.
- (14). Note on the condition of the Lahore Roads.—The note was forwarded to the Municipal Committee, Lahore, through the Commissioner of the Lahore Division for opinion.

- (15). Note on the question of putting down a deep tube boring to test the yield of the subsoil water by the air-lift system.—The proposals mentioned in the note were approved by the Board, and an application was made to Government for a grant of Rs. 18,000 to defray the cost of putting down an experimental plant at Lahore.
- (16). Executive Powers and annual allotment of funds to the Sanitary Board by Government.—The Notes by the Sanitary Engineer, Punjab, and the Secretary, Sanitary Board, Punjab, were brought up three times before the Board, and finally a Sub-Committee of the Sanitary Board was appointed to look into the matter, and the proposals, after the approval of the Board, were submitted to Government for sanction. The Government in October 1902 sanctioned Rs. 2,500 to the Board to meet charges in connection with (a) the conduct of experiments which, in the opinion of the Board, are likely to be of use in furthering sanitation; and (b) the execution of small local works of more or less emergent character when delay would result by obtaining formal sanction. This amount was sanctioned for the financial year 1902-1903 and for future financial years. In the letter in which Government sanctioned the above-mentioned Rs. 2,500, it was also stated that the Sanitary Board should submit an estimate of the sum. likely to be required in 1903-1904 as grants-in-aid to help Local Bodies to an extent not exceeding one-third of the cost of carrying out any project approved by the Board as an urgent necessity. This estimate (for Rs. 30,000) has been submitted to Government and sanction is awaited.

C. J. BAMBER, LIEUT.-Col., I.M.S.,
SECRETARY AND MEMBER, SANITARY BOARD, PUNJAB,
Sanitary Commissioner, Punjab.

APPENDIX B.

ANNUAL REPORT OF THE SANITARY ENGINEER TO GOVERNMENT, PUNJAB, FOR THE YEAR 1902.

- Mr. E. DuCane Smithe held charge of the post of Sanitary Engineer to Government up to the 30th October 1902. Mr. C. E. Goument held charge from that date to the end of the year.
- 2. Statement A, attached, gives a list of projects prepared in the Sanitary Engineer's office or under his supervision during the year under review. Statement B gives a list of Sanitary Works under construction.
- 3. There were two Divisions under the direct superintendence of the Sanitary Engineer:--
 - (1) The Simla Extension Works Division.
 - (2) The Amritsar Special Works Division.

The former was in existence throughout the year. The latter was formed on the 5th November 1902.

4. Siml.—The Simla Extension Works Division comprises all the Sanitary Works for the extension of Simla, amounting to Rs. 11,76,490, which are as follows:—

		Rs,
(1)	Additional Feed Reservoir at Charot Nala Pumping	
•	Station	9,052
(2)	Lower gravitation pipe supply to Charot Nala Pumping	
•	Station	2,08,902
(3)	Seog Storage Reservoir	1,79,398
(4)	Extension of the Sewerage System	5,29,103
(5)	Drainage of Simla Bazaars	92,300
(6)	Separation of drinking and flushing water supplies	5,470
(7)	Increasing the volume of water obtained by gravitation	76,212
(8)	Making a high level pipe line round Jakko	31,589
(9)	Extension of the present distribution system of water	
	supply	44,464

Of these Nos. 1, 2, 3, 6, 7, and 8 have been completed. The remainder are in hand.

- 5. The sewerage system of Simla formerly consisted of three 9" mains leading from Boileauganj, Bara Simla and Chota Simla to a waterfall in the Lalpani valley. This system has been extended by the laying of additional sewage mains and branches to serve all parts of the station. There are now five distinct systems which work independently and lead to five different outfalls in the valleys below the station. A sufficient quantity of water is available in the streams at each of these outfalls to dilute the sewage to a strength of 10 gallons per head in the driest time of the year, and for the greater part of the year, to 15 gallons per head. The sewage is delivered in conservancy pails to 29 depôts situated at convenient points in the station at the head of each main, and, from these depôts, it is to be flushed down the mains to the outfalls. There will be disposal works at each outfall to freat the sewage before it is discharged into the stream. The laying of all the mains (about 18 miles) was practically completed by the end of the year, and most of the pail depôts were constructed, but the disposal works were still in the experimental stage.
- 6. A small installation was erected in 1901 at the main outfall at Lalpani for the biological treatment of about 10,000 gallons of sewage a day. A macerating tank (after an English design suggested by Mr. Santo Crimp) was first tried with contact filter beds of stone. The results were not satisfactory as stated in last year's report. An installation, consisting of a septic tank and a continuous filter, was under trial during the year under review. It was brought into regular action from April 1902 and for some months gave satisfactory results. The dilution at first was 60 to 1, i.e., 60 gallons of water to 1 gallon of pipe sewage, which, at Simla, is equivalent to 60 gallons per head (1 gallon of pipe sewage being the approximate yield per head of population). The dilution was gradually reduced and the strength of the raw sewage correspondingly increased till a strength of 17 to 1 was reached on the 18th September 1902.

Analysis of the effluents continued to show fair results up to the end of the year as may be seen from the following reports for the 28th November and 11th December 1902:—

 Oxygen absorbed in 4 hours.

 Parts per 100,000.

 28-11-02.
 11-12-02.

 Raw sewage
 ...
 16·13
 17·60

 Septic tank effluent
 ...
 2·58
 2·08

 Filter effluent
 ...
 1·29
 1·12

The septic tank worked satisfactorily throughout, giving a purification towards the end of the year of over 80 per cent. The increase of sludge at the bottom of the tank was not excessive, its depth on the 11th December 1902 being 2'-10" at the inlet end and 0'-8" at the outlet.

The continuous filter was not so satisfactory, though analysis of its effluent showed good results. In October, it began to show signs of clogging and the upper layers of ballast had to be raked to prevent the liquid from heading up in the filter and overflowing its sides. This raking operation had to be repeated with greater frequency towards the end of the year to keep the filter working, and on one occasion it was found necessary to scour out the entire filter with clean water.

- 7. A larger installation, to treat 40,000 gallons a day, was under construction at the end of the year at the Kasumpti outfall. Slight structural alterations, based on the experience gained at the smaller installation, have been introduced into the details of the Kasumpti septic tank and continuous filter which will, it is hoped, secure better results.
- 8. A project amounting to Rs. 92,300 for the drainage of the Simla Bazaars was sanctioned and the work was put in hand. When completed, this work will be of material benefit to the station in removing a serious nuisance. At present the streets and ravines of the bazaars are in a most objectionable condition from a sanitary point of view.
- 9. An estimate amounting to Rs. 44,464 for enlarging and improving the existing distribution system of water supply in Simla was submitted for sanction to the Government of India. When this work has been carried out, better pressures will be available for ordinary service and for the protection from fire of all the costly public buildings between the Church and Viceregal Lodge.
- 10. Amritsar.—The Amritsar Special Works Division was formed to carry out the Amritsar City water works and to prepare projects for extending and improving the existing drainage works, extra-mural and intra-mural. An estimate, amounting to Rs. 12,50,511, was sanctioned by the Government of India for the Amritsar water-works in January 1901. The site originally selected for the supply wells was found to be objectionable as it was more or less in a swamp and another site was selected last year by Mr. DuCane Smithe on higher ground about a mile nearer the town. This necessitated a revision of the former estimate. The estimate, as revised, amounts to Rs. 10,49,935. The work has been commenced and was making good progress at the end of the year. Little or no progress was made with the drainage projects as the Executive Engineer of the newly formed Division was busy up to the end of the year, making preliminary arrangements for starting the water-works.
- 11. Lahore.—The Municipal Committee of Lahore consulted the Sanitary Engineer on the works noted below:—

The first three were put in hand during the year. Detailed projects are being worked cut for Nos. 4 and 5 by the Municipal Engineer in consultation with the Sanitary Engineer.

- (1) Extension of the pipe distribution system over the whole of the city and civil station.
- (2) The erection of a second new pumping engine.
- (3) The sinking of new trench wells to permit of a larger supply being pumped.
- (4) A steam tramway to remove refuse from the city.
- (5) Improvement of the main extra-mural intercepting drain round the city.

At the suggestion of Mr. DuCane Smithe, Sanitary Engineer, His Honour the Lieutenant-Governor has been pleased to sanction the trial of a deep tube boring at Lahore on Hughes and Lancaster's air-lift system to raise water from a depth of 160 feet below ground surface. An indent has been sent home to the Director-General of Stores for the plant.

- Mr. J. Harwood, A.M.I.C.E., was appointed Municipal Engineer on a salary of Rs. 1,000 per mensem with effect from the 10th July 1902.
- 12. Delhi.—Work on the Delhi intra-mural drains could not be resumed during the year, as the Committee had not completed arrangements to raise the necessary loan for the work. It is hoped that negotiations for funds will be concluded very shortly, and that the work will be put in hand early in 1903.

An estimate, amounting to Rs 25,818, was prepared for the Committee by the Sanitary Engineer to put in a second intercepting sewer in the Chándni Chowk on the north side of the street for convenient connection with the branch drains on that side. This estimate was passed by the Sanitary Board and approved by the Chief Engineer.

The suburbs of Pahárganj, Subzi Mandi and Sadar Bazaar were surveyed for drainage schemes.

The water-supply extension works, recently constructed, worked satisfactorily during the year and fully met all the demands of the city and the camp during the Darbár. About 2 million gallons a day were delivered during the Darbár week without the slightest strain on the engines or the head-works.

13. Umballa City.—The extra-mural portion of the drainage scheme, estimated to cost Rs. 43,130, was commenced and was well advanced at the end of the year. The estimate for the intra-mural drainage was under preparation.

The head-works of the city water supply were inspected and a report submitted recommending the construction of four more wells. The hot weather consumption has increased about 50 per cent. since the water-works were first made and the wells are now being drawn on under an excessive head to meet the summer demand. An aermotor pump erected by the Local Government at the head-works as an experiment was also inspected and a report submitted on its working for the past year. The report was favourable.

- 14. Kálki A project for increasing the water supply of Kálka, amounting to Rs. 42,837, was prepared and, after sanction by the Local Government, handed over for execution to the Chief Engineer of the Kálka-Simla Railway. The cost of these extension works will be met jointly by the Punjab Government, the East Indian Railway and the Kálka-Simla Railway. They will provide an additional supply of 100,000 gallons a day from the Kasoulia stream.
- 15. Lyallpur.—The drainage works of this town were put in hand and good progress was made with them. The estimate amounts to Rs. 79,091. Water-works were also started and orders placed with Messrs. James Simpson and Co. for the pumping machinery and iron service tanks. Amount of estimate Rs. 1,28,585.
- 16. Ferozepore City.—A project, amounting to Rs. 40,000, had been prepared for the extra-mural drainage of Ferozepore city, but it was found, on taking further levels along the proposed outfall, that the outlet in that direction for storm water would not be quite satisfactory. A revised project was therefore taken in hand for a separate sewerage system which will deal with sewage only and exclude storm water.
- 17. Mooltan
 Réwalpindi City.—Rough proposals, amounting to Rs. 66,190 and Rs. 1,02,000, respectively, were submitted for Mooltan and Réwalpindi city drainage works and approved by the Sanitary Board. Detailed projects were in hand.
- 18. Several minor drainage schemes for small towns were prepared which do not need special mention. They will be found entered in Statement A attached.

- 19. The Sanitary Engineer submitted the following special reports to the Local Government:—
 - (a) On the water supply for the head-quarters station of Miánwáli in the newly formed district of the same name.
 - (b) On the laying out of a new native town at Sargoda, the proposed head-quarters of the Jhelum Canal Colony, with proposals for drainage and water supply.
 - (c) On the water supply and drainage of the site proposed for the head-quarters of the new Campbellpur District.
- 20. The Sanitary Engineer was consulted by Local Bodies regarding the following works:—

(1). Ráwalpindi City water works.

(2). Improvement of the drainage outfall of Karnál City.

(3). Jhelum City drainage.

(4). Umballa City water-supply.

- (5). Drainage of the Batála slaughter-house.
- 21. When estimates are prepared or schemes examined by the Sanitary Engineer, fees calculated as percentages on the cost of the work are charged. The fees earned during the year under review are given in Statement C.
- 22. With a view to help Local Bodies to take up urgent sanitary works which have had to be shelved for want of funds, the Local Government has decided to place an annual grant in future years at the disposal of the Sanitary Board to enable it to contribute towards the cost of such works up to a maximum limit of one-third the total cost. The Local Government has further sanctioned a yearly grant of Rs. 2,500 to meet charges in connection with (a) the conduct of experiments which, in the opinion of the Board are likely to be of use in furthering sanitation, and (b) the execution of small local works of a more or less emergent character when delay would result by obtaining formal sanction through the official channel. Expenditure under (a) will be a final charge against Provincial Funds, but the outlay incurred under (b) will be eventually recovered in each case from the Local Body concerned.

C. E. V. GOUMENT,

Offg. Sanitary Engineer to Government, Punjab.

STATEMENT A.

LIST OF PROJECTS FOR SANITARY WORKS PREPARED BY THE SANITARY ENGINEER OR PREPARED UNDER HIS SUPERVISION DURING 1902.

PROJECTS APPROVED BY THE LOCAL GOVERNMENT OR SANITARY BOARD. In the Sanitary Engineer's office.	Engineers or Municipality	-			
	In the offices of Executive Engineers or Municipalities under the supervision of the Sanitary Engineer.				
Amount of estimate amount of estimate.	Approximate, amount of	estimae.			
Rs. 1,28,585 1. Ferozepore extra drainage mural works.	Ráwalpindi City 1,02 drainage.	s, 2,000			
2. Lyallpur drainage 79,091 2. Umballa City in 32,000 2.	Mooltan City drain- 66	,190			
Lahore water- 3. Sargoda drainage	supply.	,000			
wells. 4. Sargoda water	Amritsar water 10,49 works	,930			
works. 5. Muktsar drainage 12,428 5.	estimate). Amritsar extra	9			
works.	mural drainage. Improvement of	8			
6. Gojra drainage 62,392 works.	Amritsar intra- mural drains.				
drainage works.	Completion of the 12, main intercepting	,000			
8. Sángla drainage 26,432 works.	drain round Lahore City.				
10. Extension of the 44,464	Miánwáli civil 50, station water	000			
distribution system of Simla water supply.	supply.				

STATEMENT B

LIST OF SANITARY WORKS UNDER CONSTRUCTION DURING 1902.

	₩orks.												
1.	Amritsar water-works	0.00	•••		100		***		•••	Rs. 10,49,935			
2.	Simla sewerage extension wor	ks	# O #		0.00	• • •	900	• • •		5,29,103			
3:	Simla bazar drainage works	***	***	***	8 0 8	•••	9 7 8	•••	•••	92,300			
4.	Extension of the Lahore water	r-wo	rks trend	eh wel	ls	•••	***	i	•••	28,305			
5.	Extension of the Lahore water	r-wo	rks distr	ibutio	n system	m		***	•••	2,41,785			
6.	Lyallpur water-works	•••	0 0 0	•**				000	•••	1,28,585			
7.	Lyallpur drainage works	***	***	•••	•••		***	000	•••	79,091			
8.	Umballa City extramural drai	nage	works	* * *		100	•••		•••	43,130			
9.	Chúnián drainage works	274	•••	***	•••	** •			•••	18,716			
10.	Fázilka drainage works	•••	•••	• • •	•••	•••		•••	•••	5,000			

STATEMENT C.

SHOWING FEES EARNED DURING THE YEAR 1902 ON ESTIMATES PREPARED OR SCHEMES EXAMINED BY THE SANITARY ENGINEER, PUNJAB.

		Fees earned.
Serial No.	Names of Projects.	Fees realised. Fees earned but not realised, as the work is to be carried out by P. W. D. for a total charge of 12 per cent. on account of establishment.
1	2	3 4 5
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Muktsar drainage Lahore water-supply extension Improvement to drainage of Gujránwála Drainage of Ballabgarh Pind Dádan Khan water supply Lahore conservancy tramway Minor sanitary works, Jhang Municipality Ferozepore drainage Sángla drainage Chúnián drainage Chúnián drainage Toba Tek Singh drainage Extramural drainage of Gujrát Intramural and extramural drainage of Lyallpur. Water supply for Lyallpur town and civil station Drainage of Chinfot road town Alterations to Fázilka drainage	Rs. a. p. Rs. a. p. 255 0 0 346 8 0 29 0 6 100 0 0 59 12 6 16 0 0 10 0 0 163 10 0 61 0 0 48 9 0 496 0 0 1,649 0 0 91 14 0 2,800 0 0 945 0 0 2,094 0 0 3,460 0 0 308 0 0 150 0 0
17 18 19	Alterations to Fázilka drainage Extension of Kálka water supply* Improvements to general distribution system of water supply, Simla. Total	1,210 12 0 15,270 0 0 *Will be carried out for the P. W. D. by the Kalka-Simla Railway.

ANNUAL FORM No. I.

SHOWING THE BIRTHS REGISTERED IN THE DISTRICTS OF THE PUNJAB DURING THE YEAR 1902.

1	2		3			4			5	1	6	7	8		9	-	10
											every	per	per		T RATIO		
		Populatio Censu	N ACCORDI	NO TO		ER OF BI		PER	OF BIR 1,000 C JLATIO)F	born to ev	deaths	births	1,000 PEEVI	THS PE DURING OUE FI EARS.	₹G-	
No,	Districts.										males bes born.	births over population.	of deaths over of population.				No.
		Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Number of males 100 females born	Excess of bi	Excess of de 1,000 of po	Males.	Females.	Total.	
1	2	3	4	5	в	7	8	9	10	11	12	13	14	15	16	17	18
	DELHI DIVISION.																
1	Hissár		363,550	781,717	1		33,921	22.7	20.7	43.4	109.5	3.8	•••	18.9	17.4	36.3	1
2	Rehtak Gurgáon		297, 155 355, 765	630,672 746,208	13,322 17,825	12,212 16,542	25,534 34,367	21'1	19.4	46.1	109.1	1·1 4·6		20.5	18.6	39°1 42°4	3
4	Delhi		316,895	686,998	14,754	13,663	28,417	21.5	19.9	41.4	108.0		5 2	21.8	20.1	43.2	4
5	Karnál	478,953	401,272	883,225	19,032	17,048	36,080	21.5	19.3	10.9	111.6		5.2	21.7	19.6	41.3	5
6	Umballa	419,742	343,508	763,250	15,073	13,450	28,523	19.7	17.6	37.4	112.1	***	29.2	20.5	18.6	39.0	в
7	JULLUNDUR DIVISION.	23,012	12,567	35,579	364	316	690	10.2	8.9	19.1	115.2	•••	2.2	9.2	8.1	17.3	7
8	Kángra	396,484	367,957	764,4 4 1	11,025	13,219	27,244	18:3	17:3	35.6	106.1	2.7	0 0 0	17:2	16:3	33.5	8
Ð	Hoshiárpur	525,854	463,928	989,782	21,156	18,908	40,064	21.4	19'1	40.5	111.9	***	1.2	20.9	19.4	40.2	9
10	Jullundur	488,299	416,008	904,307	18,759	17,516	36,275	20.7	19.4	40.1	107.1	***	14.7	22.3	20.9	43.2	10
11 12	Ludhiána Ferozepore	369,165 507,258	303,932 424,948	673,097 932,206	12,688 22,489	12,026 20,388	24,714 42,877	18·9 24·1	17.9 21.9	36·7 46·0	105.5	0.2	67.2	22.2	19.6	43.0	11 12
	LAHORE DIVISION.	i constituit de la cons															
13	Montgomery	268,606	229,100	497,706	11,480	10,128	21,617	23.1	20.3	43.4	113.4	20.0	•••	19.0	17.2	†36.2	1 ~
14	Lahore	629,360	516,669	1,146,029	28,185 24,471	25,335 22,272	53,520	24.6	22'1	46.7	111.2	0 1,0	0.1	21.7	19.2	40.8	-
15 16	Amritsar Gurdáspur	558,889 507,488	463,549 429,296	1,022,438 936,784	23,917	21,992	46,743 45,909	23.9	23.5	49.0	109.8	***	2.2	23.6	21.8	45.0	1
17	Siálkot	565,124	506,203	1,071,327	30,173	28,060	58,242	28.2	26.3	54.4	107.5		12.3	25.1	23.3	48'4	
18	Gujránwála	485,260	405,317	890,577	21,129	18,702	39,831	23:7	21.0	44.7	113.0	4.7	•••	22.6	20.5	†42	3 18.
	RAWALPINDI DIVISION																
19	Gnjrát	389,402	\$61,116	750,548	20,387	18,680	39,067	27.2	24.9	52.1	109.1	15.8	•••	20.2	18.8	39*3	12
20	Shahpur	273,144	251,115	524,259	12,354	11,350	23,704	23.6	21.6	45.2	108.8			20.2		38.0	
21 22	Jhelum Ráwalpindi	297,851 4 63 ,704	292,916	590,770 886,064	13,354 20,129	11,833	25,187 37,968	22.6	20.0	42.6	112.8			18.8	16.8	35.0	
	MOOLTAN DIVISION.																
23	Miánwáli	221,008	200,580	424, 588	9,531	8,285	17,816	22'1	19.5	42.0	115.0	14.9	•••	20.8	18'0	38.7	23
24	Jhang	559,295	443,361	1,002,656	24,087	21,296	45,383	24.0	21.2	45.3	113.1	15:3	1	15.6	13.8	†20.4	
	Mooltan	379,769	318,090		17,626				1	48.2				21.7		41.3	
26 27		220,207 255,448	185,449 214,499	405,656 469,947	8,944 8,956	7,798	16,742 16,405	1	19.2	34.9	114.7		1	17.0	18.6 18.6	-	
		10.700.955	0.310.425	20,108,690	461 059	419 595	850.45	23.0	20:0	1910	11014		0.3	20.9	19.1	40.0	-
	*Note.—Excluding		9,310,435		<u> </u>	418,525	880,477	23.0	20.8	43.8	110.4		0.3	20.9	19.1	30.0	

^{*}Note.—Excluding population of military cantonments.
† The figures of Montgomery, Gujránwála and Jhang in this and other forms do not correctly represent the mean ratio for five years on account of the inclusion of the statistics of the Chenáb Colony for shorter period.

STATEMENT OF BIRTHS AND DEATHS REGISTERED IN EACH

1				2					3	4		5		6	
										per	POPULAT	ion (Census	1901).	BIRTI	18.
Serial No.			D	ISTRICT	8.				Area in square miles.	Average population square mile.	Males.	Females.	Total,	Total number.	Birth-rate per 1,000 of population.
1				2					3	4	5	6	7	8	9
	spannyamon os. Added 1	D.F		DIVIS	ZION										
7	Hissár		 HULL	DIVI	31011				5,217	150	418,167	363,550	781,717	33,921	43.4
1	D 3 / 1		••						1,797	351	383,217	297,455	63 0 ,672	25,534	40.2
2	0 1								1,984	376	390,443	355,765	746,209	34,367	46.1
3	n.11.1		• •						1,290	533	370,103	3 16,895	686,998	28,417	41.4
5	Karnál		••			***			3,153	280)	478,953	404,272	883,225	86,080	40.9
6	Umballa						1		1,851	412	419,742	343,508	763,250	28,523	37.4
7	Simla		(• •						101	352	23,012	12,567	35,579	680	19.1
	D. t. t. t.	JULL		OUR D	IVISI	O X .				1					
8	Kángra							•••	9,978	77	\$96,484	367,957	764,441	27,244	32.6
9	Hoshiárpur			•••	* * *				2,244	441	525,854	463,928	989,782	40,064	40.2
10							4		1,431	632	488,299	416,008	904,307	33,275	40'1
11					1 • 1		***		1,455	463]	8 69,165	\$03,932	673,097	24,714	36 [.] 7
12	Ferozepore		• • •		4 • •	•••		• • •	4,302	217	507,258	424,948	932,206	42,877	46.0
13	1 6/ Ozerote		• • •	•••											
		LA	HOR	E DIV	718101	S.									
13	Montgomer	У	• • •		• • •			• • •	4,771	104	· ·	229,100	497,706	21,617	43.4
14	Lahore		•••		*:*	• • •		* 0 4	3,704	309	629, 360	516,669	1,146,029	53,520	46.7
15	Amritsar	* * *	• • •		• •	• • •	• • •	• • •	1,601	639)	,	463,549	1,022,438	46,743	45.7
16	Gurdáspur	• • •		• • •			• • •	•••	1,889	496		429,296	936,784		49.0
17	Siálkot	• • •	* * 1	• • •		* * *			1,991	538	565,124	506,203	1,071,327		54.4
18	Gujránwála	ι	* * 3			• •			3,198	278	485,260	405,317	890,577	39,831	447
		RAW	ALPI	ZDI I	DIVIS	10N.									
19	Gujrát			•••	• • •			ر ا	2,051	366	389,402	361,146	750,548	39,067	52.1
20	Shahpur			•••					4,840	108	273,144	251,115	524,259	2 3, 7 04	45.2
21	Jhelum				* *			• • •	3,995	148	297,854	292,916	590,770	25,187	42.6
22	Ráwalpindi	i	•••			* * *			4,850	183	463,704	422,3(50	886,064	37,968	42.9
		210	OLT	AN DI	IVĪSI6	ON.									
23	Miánwáli				• • •	***		• • •	7,816	54	224,008	200,580	424,588	17,816	42.0
24		•••			•••		* * *		6,652	151	559,295	443,361	1,002,656		
25		••		***		* * 0			6,107	114	879,769	318,090			48 2
26		arlı					•••	•••	3,635	112	220,207	185,449	405,656	16,742	41.3
27		i Khan		• • •	. * * *		•••		5,306	89	255,448	214,499	469,947	16,405	34.9
			Tote	al for t	he Pro	vince	• • •	• • •	97,209	207	10,798,255	9,310,435	20,108,690	880,477	43.8

No. II.

DISTRICT OF THE PUNJAB DURING THE YEAR 1902.

	7		8		DEATHS PER 1,000 OF POPULATION FROM											10		Īii
	R OF DEAT	HS RE-	males hs of			D	EATHS	PER 1,0	00 of 1	POPULAT	rion fr	ОМ			MEANR. PER 1. PREVIOU	uu 000,	RING	37
			of deat				(diarr-	diseases.		ໝໍ	Al	l causes	9.	PREVIOU	SFIVE	IEARS,	
Males.	Females.	Total.	Number of deaths to every 100 females.	Cholera.	Small-pox.	Plague.	Fevers.	Dysentery and hea.	Respiratory dis	Injuries.	All other causes.	Males.	Females.	Tetal,	Males.	Females.	Total.	Serial No.
10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
					0.7	0.000	20.5		0.4	0.3	7.3	39.9	39.3	39.6	47.5	49.0	48'2	
16,672	14,278	30,950		• • •	0.01	0.003	30.7	0.5	0.3	0.2	7.5		38.7	39*4		39.4	39.1	ı
13,371	11,497	24,868			0.5	0.01	29.7	1.2	0.9	0.4	8.9		41.3	41'5		35.5	85'2	
16,287	14,680	30,967			0.03	0.003	31.5	1.3	2.7	0.3	10.6	45.3	48.0	46'6		39.4	37'1	4
16,775 21,581	15,205 19,170	31,980 40,751	110°3 112°6		0.07	0.6	33.5	0.6	2.6	0.3	85	45.1	47.4	46.1		47.7	45'3	
25,385	25,406	50,791			0.2	30.0	20.7	1.3	5.9	0 2	8.0	CO.2	74.0	66.6		46.0	42°4	
466	290	756			1.1	0.2	8.8	1.6	1.4	0.2	7.7	20.3	23.1	21.3	18.6	25.0 [†]	21.2	7
100	250	700		• • •					}								•	
12,464	12,710	25,174	98 1	0.1	0.04	0.01	22.7	. 0.8	1.8	0.4	7.2	31.4	34.2	32.0	30'1	32-1	31.3	8
19,796	21,497				0.7	13.0	15.9	0.7	6.3	0.3	4.9	37.7	46.3	41.7	30°2	33.2	31'7	9
22,747	26,771	49,518			1.1	19.2	20.7	0.7	4.8	0.2	8.1	4.6'G	64.4	54.8	29.2	36.7	32'7	10
33,361	36,554,	69,915		• • •	C·1	70.8	17:7	0.6	4.2	0.3	9.8	90.4	120.3	103.0	87:2	45.8	41'1	111
21,298	21,080	42,378	101.0	0.001	0.4	6.9	27 3	0.4	1.6	0.3	8.6	42.0	49.6	45°	40'6	45'9	43°0	12
						and the second s										-		
6,153	5,475	11,628	112.4		1.1	0.005	12.1	0.3	0.2	0.3	9.1	22.9	23.9	23.4	26.3	28.3	27°2	13
26,573	27,048	53,621	98.2	0.001	0.8	10.3	21.2	0.6	2.7	0.4	10 [.] 5	42.2	52.4	46.8	33.3	37.5	35'2	14
24,589	24,425	49,014	100.7	•••	0.6	4:1	28.9	0.9	6.4	0,3	6.7	44.0	52.7	47'9	32.0	38.8	35'1	1
22,736	25,053	47,789	90.7		0.2	15.7	19.5	1.2	9.1	0'3	4.4	44.8	28.4	5110	32.2	36.6	34.3	1
3 2, 505	38,993	71,498	83.4		0.2	26.4	25.2	1.1	5.3	0.5	8.1	57.5	77.0	66.7	32.9	36.9	34.8	1
18,065	17,514	35,609	1030	0.01	0.5	4.2	26.4	0.3	1.1	0.5	7.2	37.2	43'3	40'(27*2	30.3	28°6	18
									1.00									
13,754	13,494	2 7,24 8	101.9		0.6	0.7	20.0	0.0	2.9	0.3	11'3	85.3	37.4	30.3	27.9	27-6	27'5	1.9
8,539	8,161	16,700			2.5	0.03	18.0		1.1	0.4	9.2		32'5	313	26.4	26.6	26.2	20
10,590	9,946	20,536			1.0		24.8		0.т	v .3	7.8	35'6	34.0	34.8	30.2	29.4	29'9	21
15,195	14,379	29,574				0.001	23.7	0.0	0.0	0.4	7.2	32*8	34.0	33.4	28.6	29.3	28'9	32
																		The second secon
5,989	5,502	11,491	108'9		0.7	0	21.9	0.6	0.4	0.3	3.5	26.7	27:4	271	31.1	31.6	31'3	23
16,958	13,995	30,053			0.6	0.5	21.3	0.4	0.4	0.3	6.2	28.7	31.6	.30.0	20'3	22.2	21'3	24
10,096	9,283	19,379	1		1.0	0.02	18.7	0.4	0.4	0.4	6.8	26.6	29.3	27.8	24.8	27.5	26.0	25
6,358			109.8		1.9		23.0	0.3	1.5	0.2	3.1	28.9	31.5	29.9	27.8	30.1	28'8	26
6,070	5,277		115.0		1.1		19.6	6.3	6.9	0.3	2.4	23.8	24.6	241	23.0	23.2	23*2	27
443,473	443,500	886,973	100.0	0.03	0.6	8.2	23.2	0.4	2.8	0°3	7°0	41.1	47.6	441	32.2	35.4	38.7	

in this or any other-statement.

ANNUAL FORM No. III.

DEATHS REGISTERED IN THE DISTRICTS OF THR PUNJAB DURING EACH MONTH OF THE YEAR 1902.

1	2	1					3							4	5
1	2														_
No.	Districts.	January.	February.	March.	April,	May.	June.	July.	August.	September.	October.	November.	December.	Total deaths registered during the year	No.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1 2 3 4 5	DELHI DIVISION. Hissár Rohtak Gurgáon Delhi Karnál Umballa Simla JULLUNDUR DIVISION.	2,269 2,578 2,790 4,197 3,343 61	2,136 2,255 2,440 3,721 4,675 56	4,361 9,642 45	2,389 2,690 3,727 10,203	2,192 2,566 2,892 3,463 5 ,695	1,418 2,225 2,151 3,023 2,402 72	1,110 1,762 1,740 1,991 1,342 74	1,973 2,400 2,226 2,577 1,813 61	1,780 2,977 2,410 2,856 2,860 80	3,211 3,553 3,413 3,312 3,158 59	2,857 3,078 3,352 3,765 2,704 48	2,382 2,615 3,259 3,758 2,954 54	24,868 30,967 31,980 40,751 50,791 756	2 3 4 5 6 7
	Kángra			1,740					1			- 1			
	Hoshiárpur	~ 110							1			3,483			
	Jullundur						1	1	2,109	i					
	Ludhiána Ferozepore							1,159	i	1.781 2,176					
			6,00	-,-	,	0,00	1,02,	1,01	1,500	2,10	0,00	0,000	4,002	10,	
	LAHORE DIVISION														
	Montgomery														
	Lahore						'		1						
	Amritsar						'								
	Gurdáspur						'								
17	61-1-1-1-1-1-	7,456 $3,296$					'					1			
	RAWALPINDI DIVI-		0,02			***************************************	4,220	2,100	2,021	1,102	0,001	3,000	3,000	00,00	
19	Gujrát	3,444	3,056	3,273	2,307	2,292	1,530	1,345	1,593	1,722	2,202	2,303	2,181	27,248	19
20	Shabpur	1,605	1,531	1,528	1,251	1,440	1,220	1,133	1,202	945	1,307	1,579	1,959	16,700	20
		2,089		1		'	1,223	1,293	1,357	1,387	2,091	2,393	2,110	20,536	21
22	Ráwalpindi	2,824	2,813	2,594	2,143	2, 020	1,931	1,830	2,018	2,118	2,831	3,090	3,362	29,574	22
	MOOLTAN DIVISION	7.													
23	Miánwáli	1,115	1,050	1,127	935	1,079	844	687	772	685	837	1,175	1,185	11,491	23
24	Jhang	3,614	2,611	2,436	2,387	2,567	1,785	1,801	2,103	1,859	2,252	2,889	3,749	30,053	24
		2,144		1,604	1,508	1	1	1,305	1,230	1,314	1,620	1,933	1,960	19,379	25
		1,296			984	1,015	850	744	799	756	1,131	1,350	1,210	12,145	26
27	Dera Gházi Khan .	1,055	5 965	846	884	1,185	834	677	890	827	930	1,023	1,231	11,347	27
	Total for the Province	e 83,928	83,129	113,418	111,018	84,535	49,679	41,632	48,106	51,577	68,825	73,960	77,169	886,973	
	Ratio of deaths pe 1,000 in each month		4.13	5.64	5.52	4.20	2.47	2:07	2:39	2:56	3.42	3.68	3.84	44.11	

*					
	A 373777 A T	DODES No. 117			
EATHS REGISTERE		FORM No. IV		TS OF THE	
EATHS REGISTERE	D ACCORDING		HE DISTRIC	TS OF THE	
EATHS REGISTERE	D ACCORDING	TO AGE IN TH	HE DISTRIC	TS OF THE	
EATHS REGISTERE	D ACCORDING	TO AGE IN TH	HE DISTRIC R 1902.	TS OF THE	
EATHS REGISTERE	D ACCORDING	TO AGE IN TH	HE DISTRIC	TS OF THE	
EATHS REGISTERE	D ACCORDING	TO AGE IN TH	HE DISTRIC R 1902.	TS OF THE	
DEATHS REGISTERE	D ACCORDING	TO AGE IN TH	HE DISTRIC R 1902.	TS OF THE	
DEATHS REGISTERE	D ACCORDING	TO AGE IN TH	HE DISTRIC R 1902.	TS OF THE	
DEATHS REGISTERE	D ACCORDING	TO AGE IN TH	HE DISTRIC R 1902.	TS OF THE	
DEATHS REGISTERE	D ACCORDING	TO AGE IN TH	HE DISTRIC R 1902.	TS OF THE	
DEATHS REGISTERE	D ACCORDING	TO AGE IN TH	HE DISTRIC R 1902.	TS OF THE	
DEATHS REGISTERE	D ACCORDING	TO AGE IN TH	HE DISTRIC R 1902.	TS OF THE	
DEATHS REGISTERE	D ACCORDING PUNJAB DUR	TO AGE IN TH	HE DISTRIC R 1902.	TS OF THE	
EATHS REGISTERE	D ACCORDING PUNJAB DUR	TO AGE IN THE ING THE YEA	HE DISTRIC R 1902.	TS OF THE	

DEATHS REGISTERED ACCORDING TO AGE IN THE

1	2		3			4		5		6		7
-									10		4.2	
			Under Year			AND UNDER	5 YEAR	O YEARS.		RS AND 5 YEARS.		RS AND O YEARS.
No.	Droppione					t		1		1		
200.	Districts.											
			ç <u>a</u> G	Females.	ж Ф	Females.	38.	Females.	85 80	Females.	တ်	Females.
			Males.	Fem	Males.	Fem	Males.	Fem	Males.	Fem	Males.	Fem
1	2		3	4	5	6	7	8	9	10	11	12
		ļ										
	DELHI DIVIS	ION.	A P 4 4	9.00	1.010	1 100		224	200		202	101
2	Hissár		4,544 3,315	3,697 2,776	1,616 1,761	1,592 1,499	880	824	696 657	583	60 2 591	434 531
3	Canadan		4,268	3,755	2,889	2,873	920 894	841 815	501	567 409	460	264
4	Delhi	-	4, 346	3,912	2,248	2, 336	726	706	432	391	570	449
5	Vam (1		5,165	4,567	2,306	2,119	1,001	903	715	663	763	575
6	Umballa		4,090	3,856	2,068	2,031	1,277	1,346	1,435	1,570	1,405	1,288
7	Simla		89	76	21	33	7	8	16	6	14	17
	JULLUNDUR DIV	ISION.										
8	Kángra		3,874	3,677	1,221	1,276	551	566	434	428	874	563
9	Hoshiárpur		4,663	4,397	2,841	3,065	730	880	889	1,150	771	833
10	Jullundur		4,696	5,446	2,964	3,161	1,334	1,650	1,262	1,665	1,017	1,263
11	Ludhiána		8,737	4,111	2,380	2,374	2,135	2,484	2,681	3,469	2,273	2,188
12	Ferozepore		5,584	5,467	2,367	2,361	1,295	1,380	1,045	1,162	1,070	1,051
	LAHORE DIVIS	ION.										
13	Montgomery		2,235	1,990	883	797	315	319	146	175	127	101
14	Labore		6,507	5,832	4,098	3,743	1,746	1,991	1,193	1,952	1,174	1,308
15	Amritsar		6,028	6,391	4,765	4,382	1,422	1,454	890	1,173	825	959
16	Gurdáspur		5,524	5,044	4,230	4,464	1,075	1,807	1,111	1,489	8 39	1,080
17			6,450	6,231	6,087	6,187	2,614	3,370	2,090	2,785	1,613	2,078
18	Gujránwála .		4,593	4,190	4,341	3,987	1,270	1,315	657	814	490	520
	RAWALPINDI DI	vision.										
19	Gujrát	** ***	3,834	3,603	4,057	3,852	1,010	993	305	358	805	279
20			2,660	2,487	1,972	1,940	600	563	235	218	151	137
21			2,695	2,633	1,532	1,555	727	674	518	471	448	891
22	Ráwalpindi .	•• •••	4,297	4,004	2,409	2,586	811	840	479	454	404	432
	MOOLTAN DIV	ision.					•					
23	Miánwáli		1,995	1,710	899	948	3 16	331	180	155	131	107
24			5,131	4,595	2,236	1,818	1,389	1,097	959	780	707	628
25		•• ••	3,804	3,607	1,262	1,218	444	416	27 2	277	228	287
		** **1	1,983	1,764	921	937	354	354	256	199	204	170
27	Dera Gházi Khan	•••	1,725	1,398	1,152	1,059	455	413	244	206	131	151
	Total for the Prov	ince	107,832	101,216	65,531	64,193	26,298	27,840	20,288	23,569	17,687	17,974
	Ratio per 1,000 liv	ing	316.44	320.76	62.16	65.93	17.58	21.68	15.02	23'18	17.84	22.81
-				1	1	1	1	1	<u> </u>		L .	

No. IV.
DISTRICTS OF THE PUNJAB DURING THE YEAR 1902.

	8	9 10		1	1	15	2	13	3	14		
	EARS AND 30 YEARS.		ARS AND 10 YEARS.		RS AND U YEARS.	50 YEARS A	AND UNDER	60 ybars war		Тот	AL.	
Males.	Females,	Males.	Femalcs,	Males,	Females,	Males,	Females.	Males.	Females.	Males,	Females.	No.
13	14	15	16	17	18	19	20	21	22	23	24	25
1,55		1,274	1,195	1,565	1,219	1,474	1,100	2,464	2,317	16,672	14,278	1
78		864	848	1,026	907	1,371	1,066	2,083	1,705	13,371	11,497	2
1,38		1,264	1,304	1,857	I,094	1,213 1,713	1,088	2,053 2,142	1,961	16,287 16,775	14,680 15,205	3
1,54 2,18		1,538 2,068	1,372 2,095	1,519 2,365	1,215	2,050	1,408	2,142	2,828	21,581	19,170	5
2,10		2,008	3,115	3,067	2,892	2,455	2,477	3,625	3,884	25,385	25,406	6
6		79	32	54	22	40	15	82	47	466	290	7
82	2 1,395	1,002	1,077	983	838	942	697	2,261	2,193	12,464	12,710	8
1,62	4 1,945	1,690	1,986	1,760	1,921	1,594	1,658	3,234	3,662	19,796	21,497	9
1,80	2,266	1,988	2,531	1,846	2,331	1,783	1,881	4,056	4,577	22,747	26,771	10
4,10	8 4,150	3,751	4,454	4,001	4,578	3,474	3,679	4,821	5,122	33,361	30,554	11
1,61	1 1,751	1,582	1,696	1,799	1,731	2,013	1,757	2,932	2,724	21,298	21,080	12
	1											
32	5 294	317	877	375	329	389	327	1,036	766	6,153	5,475	13
2,12		2,126	2,382	2,076	2,100	1,742	1,585	3,784	3,633	26,573	27,048	14
1,62		1,668	1,702	1,620	1,497	1,618	1,277	4,138	3,684	24,589	24,425	15
1,82	0 2,386	1,897	2,375	1,768	2,068	1,537	1,561	2,935	3,270	22,736	25,053	16
2,68	0 3,501	2,641	3,888	2,366	3,343	2,046	2,727	3,918	4,883	32,505	38,993	17
1,09	8 1,206	1,032	1,262	1,068	1,051	972	914	2,544	2,285	18,065	17,544	18
57	718	617	751	591	651	621	530	1,841	1,759	13,754	13,494	19
37		345	421	358	367	407	377	1,432	1,247	8,539	8,161	20
59		633	666	651	550	668	568	2,123	1,796	10,590	9,946	21
1,06	7 1,109	1,246	1,273	1,114	962	971	702	2,397	2,017	15,195	14,379	2 2
							•					
00	7 374	401	401	375	325	406	315	999	836	5,989	5,502	23
28 66		895	881	1,286	1,214	1,918	1,593	875	760	16,058	13,995	24
61		701	693	647	516	613	425	1,508	1,170	10,096	9,283	25
47		489	501	398	347	402	284	878	701	6,358	5,787	26
34		387	425	365	306	390	245	877	668	6,070	5,277	27
35,11		35,494	39,703	30,400	36,332	34,822	31,911	64,002	62,526	443,473	443,500	
19.8		23.80	30.31	34.01	38.62	49.79	55:17	96.60	112.41	41.07	47.63	
	1	10			N I	l l				1		

ANNUAL FORM No. V.

DEATHS REGISTERED ACCORDING TO CLASSES IN THE DISTRICTS OF THE PUNJAB DURING THE YEAR 1902.

	1 2			3					4					5	<u> </u>		16
		POPULAT	CION ACCO	RDING T	o Cens	us of 1901.	NUMB	ER OF D	EATH	s REC	GISTERED	R.			THS PER		<u> </u>
	DISTRICTS.	Muhammadans.	Hindús,	Native Christians.	Other classes.	Total.	Muhammadans.	Hindús.	Native Christians.	Other classes.	Total,	Muhammadans.	Hindús.	Native Christians.	1	Total.	No.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	DELHI DIVISION.																
1	Hissár	202,009	579,444	53	211	781,717	7,185	23,764	1		30,950	35.57	41.01	18.87	•••	39.59	1
2	Rohtak	91,687	538,904	41	40	630,672	3,305	21,563	s		24,868	36.02	40.01		•••	39.43	2
3	Gurgáon	242,548	503,381	221	58	746,208	10,750	20,210	5	2	30,967	44.32	40.15	22.62	34.48	41.50	3
4	Delhi	166,655	517,633	2,042	668	686,998	7,531	24,313	77	59	31,980	45.19	46.79	37.71	88.32	46 [.] 55	4
5	Karnál	241,412	640,630	225	958	883,225	10,819	29,930	2	•••	40,751	44.82	46.72	8.89		46.14	5
6	Umballa	224,679	537,612	959	•••	763,250	14,039	36,747	5	• • •	50,791	62.48	68.35	5.21	***	66.55	6
7	Simla	5,560	27,770	368	1,881	35 ,57 9	1 56	596	4		756	28.06	21.46	10.87	•••	21.25	7
	JULLUNDUR DIVISION.																
8	Kángra	39,534	720,389	203	4,315	764,441	1,169	24,002	3		25,174	29.57	33:32	14.78	• • •	32 ·93	8
9	Hoshiárpur	312,958	676,009	785	30	989,782	12,727	28,564	2		41,293	40.67	42.25	2.55	•••	41.72	9
10	Jullundur	416,691	487,234	276	106	904,307	21,965	27,553	•••		49,518	52.71	56.55	***	•••	54.76 1	10
11	Ludhiána	235,937	436,212	415	5 33	673,097	25,540	44,360	15		69,915	108.25	101.69	36.14	•••	103'87 1	11
12	Ferozepore	436,995	494,966	240	5	932,206	18,963	23,415	•••		42,378	43.39	47.31	•••	•••	45.46	12
	LAHORE DIVISION.																
	Montgomery	355,892	141,439	314	61	497,706	8,872	2,756]	11,628	24.93	19.49		•••	23.361	.3
i	Lahore	711,171	428,753	2,990	3,115	1,146,029	37,257	16,316	47	1	53,621	52:39	38.05	15.72	0.35	46.791	.4
15	Amritsar	474,457	546,208	1,492	281	1,022,438	22,432	26,535	45	2	49,014	47.28	48.58	30.16	7.12	47.94.1	5
16	Gurdáspur	462,996	469,346	4,198	244	936,784	22,427	25,292	5 3	17	47,789	48.44	53.89	12.63	69.67	51.011	6
1	Siálkot	710,778	349,867	10,662	20	1,071,327	47,632	23,244	315	307	71,498	67.01	66.44	29.54	?	66·74 ₁	7
18	Gujránwála RAWALPINDI DIVISION.	603,464	281,439	5,592	82	890,577	27,056	8,412	140	1	35,609	44.83	29'89	25.04	12.20	39 98 _[]	8
19	Gnjrát	655,838	94,250	241	219	750,548	23,682	3,535	8	23	27,248	36.11	37.51	33.20	105.02	36.30 ^l	9
20	Shahpur	442,921	81,247	21	70	524,259	14,386	2,298		16	16,700	32.48	28.28		228.57	31.85 2	0
21	Jhelum	525,884	64,673	111	102	590,770	17,274	3,261	1		20,536	32.85	50.42	9.01	•••	34.76 2	1
22	Ráwalpindi	786,627	98,373	514	550	886,064	26,333	3,086	6	149	29,574	33.48	31.37	11.67	270.91	33.38 2	2
	MOOLTAN DIVISION.																
23	Miánwáli	371,674	52,870	16	28	424,588	10,111	1,329		51	11,491	27.20	25.14	•••	?	27.062	3
24	Jhang	687,164	309,999	5,420	73	1,002,656	21,639	8,248	165	1	30,053	31.49	26.61	30.44	13.70	29.972	4
25	Mooltan	565,557	131,852	198	252	697,859	15,936	3,396	1	46	19,379	28.18	25.76	5.02	182.54	27.77 2	5
2 6	Muzaffargarlı	350,177	55,446	17	16	405,656	10,487	1,649	•••	9	12,145	29.95	29.74		562.50	29.942	6
27	D. G. Khan	411,315	58,530	81	21	469,947	9,815	1,515	•••	17	11,347	23.86	25.88		809.52	24.15_{2}	7
	Total for the Province	10,732,580	9,324,476	37,695	13,939	20,108,690	449,488	435,889	895	701	886,973	41.88	46.75	23.74	50.29	44.11	

RURA
RURA

DEATHS REGISTERED FROM DIFFERENT CAUSES IN THE DISTRICTS

						1 .	1	1 0		1	1 -	1		
1		2			3	4	5	6	7	8	9	ļ		
No.	A.—R	ural Cir	CLES.		pulation aecording to Census of 1901.					r and diarrhæa,	Respiratory diseases.	Su	icide.	and ac
- Constitution of the Cons					Ă	Cholera.	Small-pox.	Plague.	E evers.	Dysentery	Respirator	Males.	Females.	Wounding cidents.
1		2			3	4	5	6	7	8	9	10	11	12
	DELH	i divis	ION.											
1	Hissár			***	693,044		38		21,810	159	237	8	3	147
2	Rohtak		• • • •		576,415	* * * *	7		18,479	90	112	2	6	
3	Gurgáon			***	678,503	126	125	4	20,629	659	471	11	47	210
4	Delhi		***		457,658	2	6	•••	14,190	469	482	8	17	
5	Karnál		401		799,607	29	50	184	27,419	298	1,476	1	3	
6	Umballa			444	698,479	140	164	21,152	14,871	792	4,166	3	2	124
7	Simla		•••	• • •	21,449		27	5	109	44	15			3
		•••	***			***				1 300	10	1	***	3
	JULLUNI	OUR DIV	VISIO	Ň.										
8	Kángra		• • •	•••	751,945	38	29	5	17,129	617	1,286	4	5	21
9	Hoshiárpur	*** -	***	•••	923,773		556	11,684	14,732	538	5,787	5	1	184
10	Jullundur	* * *	* * *	•••	789,950	• • •	734	15,765	17,087	318	3,481	7	7	157
11	Ludhiána	* * *	• • •	• • •	586, 569	1 0 0	63	41,282	10,694	186	2,250	6	9	128
12	Ferozepore	•••	£ + 0	***	881,750	1	388	6,126	24,139	273	1,273	3	11	218
	LAHOR	E DIVIS	STON.											
13	Montgomery		***		477,936		55 2	1	5,839	119	189			87
14	Lahore		•••	**1	906,019	***	648	11,071	20,157	297	1,169	7	7	252
15	Amritsar	•••	***		842,818	***	484	3,668	23,325	710	5,164	8	8	189
16	Gurdáspur	***	***		871,990		214	14,100	16,855	1,290	8,193	7	4	190
17	Siålkot			• • •	994,914	4 4 4	502	26,707	25,538	1,014	5,048	9	4	176
18	Gujránwála	***		***	822,871		145	3,189	22,194	138	621	4	7	296
					,	•••	110	0,100	32,102	100	021	22	'	1 200
	RAWALPII	NDI DIV	ISIO	₹.										
19	Gujrát	* * *	***	•••	709,017	121	436	353	14,270	347	1,838	6	1	154
20	Shahpur	4 4	0.5.0	•••	471,938	•••	995	5	8,634	238	491	1	**1	125
21	Jhelum	• • •	•••	• 1 •	565,297		582	• • a	13,933	168	220	3	4	134
22	Ráwalpindi	4 4 6	* * *	•••	819,219	2	476	***	19,647	333	533	3	•••	232
	MOOLTA	N DIVI	SION.											
23	Miánwáli	8 4 4	•••		395,033	• • •	278	• • •	8,768	154	128	1		86
24	Jhang	• • •	• • •		954,602	• • •	617	136	20,461	325	340	3	1	261
25	Mooltan	103	* * *	•••	601,975		526	12	11,524	66	71	2	2	174
26	Muzaffargarh	• • •	***		393,253	٠	743	• • •	9,058	105	434	1	3	139
27	Dera Gházi Kl	nan	• • •		428,705	•••	452	• • •	8,498	61	159	6	6	79
	Total of the	Rural Ci	rcles		18,114,729	338	9,837	155,449	429,489	9,808	45,734	114	158	4,318

No. VI.

(RURAL CIRCLES) OF THE PUNJAB DURING THE YEAR 1902.

		11	12					13						14
RIES.			all			RAT	IO OF DEA!	THS PER 1	,000 of PC	PULATION				
and		es.	from					and	303868.		6 g.	From all	- 1	No.
Snake-bite killed by beasts.	Total,	All other causes.	Total deaths causes.	Cholera.	Small-pox.	Plague.	Fevers.	Dysentery diarrhœa.	Respiratory diseases.	Injuries.	All other causes.	For the year.	Mean ratio of previous five years.	NO.
13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
36 7 32 46 54 21 1 1 48 37 11 11 25 60 73 30 47 47	189 91 300 173 237 150 4 . 273 227 182 154 257 147 339 235 248 236	4,082 4,085 6,013 4,881 6,395 5,425 112 5,383 4,417 6,270 5,615 7,574 4,306 9,415 5,710 3,611 7,901	26,115 22,864 28,327 20,203 36,088 46,860 316 24,760 37,941 43,837 60,244 40,031 11,153 43,096 39,296 44,511 66,946	0·19 0·004 0·04 0·20 0·05 0·001	0·05 0·01 0·18 0·01 0·06 0·23 1·26 0·04 0·60 0·93 0·11 0·44 1·15 0·72 0·57 0·25	0·01 0·23 30·28 0·23 0·01 12·65 19·96 70·38 6·95 00·02 12·22 4·35 16·17 26·84	30.75 32.06 30.40 31.01 34.29 21.29 5.08 22.78 15.95 21.63 18.23 27.38 12.23 22.25 27.68 19.33 25.67	0·23 0·16 0·97 1·02 0·37 1·13 2·05 0·82 0·58 0·40 0·32 0·31 0·25 0·33 0·84 1·48 1·02	0·49 0·19 0·69 1·05 1·85 5·96 0·70 1·71 6·26 4·41 3 84 1·44 0·40 1·29 6·13 9·40 5·07	0°27 0°16 0°44 0°38 0°30 0°21 0°19 0°36 0°25 0°23 0°26 0°29 0°31 0°37 0°28 0°28 0°24	5·89 7·09 8·86 10·67 7·99 7·77 5·22 7·16 4·78 7·94 9·57 8·59 9·01 10·39 6·77 4·14 7·94	37·68 39·67 41·75 44·14 45·13 67·09 14·73 32·93 41·07 55·49 102·71 45·40 23·34 47·57 46·62 51·05 67·29	46·86 39 31 35·12 36·51 44·76 43·34 17·78 31·24 31·40 32·54 40·72 43·20 27·21 35·49 34·33 34·27 34·81	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17
123	430	5,565	32,282	***	0.18	3.88	26.97	0.17	0.75	0.52	6.76	39.23	28:36	18
41	202	7,917	25,363	•••	0.61	0.20	20.13	0.49	2.29	0'28	11.17	35.77	27:13	19
51	177	4,505	15,045		2·11 1·03	0 .01	18.29	0.20	1.04	0.38	9·35 7·67	31.88	26.08 29.81	20 21
45	280	4,337 5,685	26,956	0.002	0.28		23.98	0.41	0.39	0.29	6.94	32:90	28.73	22
31	118	1,218	10,664		0.70		22.20	0.39	0.32	0 ·30	3.08	27.00	31.27	23
49	314	6,027	28,220		0.65	0.14	21.43	0.34	0.36	0.33	6:31	29.56	20.87	24
80	258	3,853	16,310	•••	0.87	0.03	19.14	0.11	0.15	0.43	6.40	27.09	25.28	25
70	213 112	1,043 781	11,596	•••	1.89		23.03	0.27	1.10	0.54	2·65 1·8 2	29·49 23·47	28.51	26 27
1,121	5,711	182,126	788,492	0.02	0.24	8.58	23.71	0.24	2.23	0.33	7.29	43.53	33.38	

DEATHS REGISTERED FROM DIFFERENT CAUSES IN THE

1		2			3	4	5	6	7	8	9			10		
					to					ě	,			Injuri	ES.	
No.	В	-Towns			Population according Census of 1901.	Cholera.	Small-pox.	Plague.	Fevers.	Dysentery and diarrhoa.	Respiratory diseases.	Maies.	Fomales.	Wounding and accidents.	Snake-bite and killed by wild beasts.	Total.
1		2			3	4	5	6	7	8	9	10	11	12	13	14
	HISSAR	DISTR	NOT.													
1 2 3 4 5	Hissár Hánsi Bhiwáni Sirsa Fatehabad ROHTAK	***	 RICT	•••	17,647 16,523 35,917 15,800 2,786		9	2	900 443 740 547 74	43 54 86 19 11	71 39 87 33 7	•••		5 7 2 2		6 5 7 2 2
6 7 8 9 10	Rohtak Jhajjar Beri Gohána Bahádurgarh	•••	***	•••	19,766 12,227 9,722 6,567 5,974		1	•••	336 207 237 207 193	26 37 31 29 6	23 10 8 11	•••	•••	5 3 1 1	***	5 8 1 1
11 12 13 14 15 16	GURGAON Rewári Palwal Farrukhnagar Fírozpur Sohna Hodal	***	RICT.		27,295 12,830 6,136 7,278 6,024 8,142			1	378 386 126 219 261 177	64 20 29 38 31 35	46 17 41 18 44 33	1	1	7 4 1 2 	 1	11 4 2 2 1
	DELHI	DISTRI	CT.													
17 18 19 20	Delhi Sonepat Balabgarh Faridabad		***	•••	206,5\$4 12,990 4,506 5,310	1	7	2	6,666 441 168 195	374 44 23 10	1,325 41 5 7	2		82	3 2	37 2 2
	KARNAL	DIST	RICT.	l												
21 22 23 24 25 26	Karnál Kaithal Pánipat Ládwa Sháhabad Thanesar	•••	· · · · · · · · · · · · · · · · · · ·	•••	22,703 14,408 26,914 3,518 11,009 5,066		19 6 1 	13 234 136 2	684 535 557 82 192 82	85 41 59 12 27 7	212 123 252 58 108 27	1	2 5 	7 3 4 1 4	1 1 3	10 9 8 1 4
	UMBALLA	DIST	RICT,													
27 28 29 30 31	Umballa Jagádhri Burya Sadhaura Rúpar	•••	• • •		26,744 13,462 5,865 9.812 8,888	2 16 4	7	746 200 804	259 259 134 184 64	83 43 33 15 16	167 91 28 24 45	1		13 2 1 1 2	1 1	14 3 1 2 2
	SIMLA.	DISTRI	ICT.													
32	Simla KANGRA	ייי פות	RICT	•••	14,130	***	13	1	205	12	34	.		11	1	12
33 34 35	Kángra Dharmsála Núrpur HOSHIARPI	•••	•••	т.	4,746 3,288 4,462	• • •	1	2 3	76 44 84	21 7 9	27 18 16		1	2	•••	2 3
36 37 38 39 40 41 42 43 44 45	Hoshiárpur Khánpur Hariána Garhdiwála Dasúya Tánda Urmar Miáni Mukerián Una Anandpur				17,037 3,183 6,005 3,652 6,404 10,247 6,118 3,589 4,746 5,028		67 11 15 1 2 31 8 8 16	380 79 243 2 2 241 1 1 188	222 50 58 44 128 214 115 64 40 43	55 20 26 8 26 12 22 6 10 12	43 29 7 24 50	2		6 2 1 1 8 1	1	8 2 1 1 4 1

No. VI.

TOWNS OF THE PUNJAB DURING THE YEAR 1902.

11	12						13					14
	ruses.			R	ATIO OF I	EATHS PE	R 1,000 O	F POPULA	TION,			
All other causes.	Total deaths from all causes.	Cholera,	Small-pox.	Plague,	Fevers,	Dysentery and diar- rhæs.	Respiratory diseases.	Injuries.	All other causes.	For the year,	Mean of pre-	No.
15	16	17	18	19	20	21	22	23	24	25	26	27
379 357 642 23 7 33	1,399 7 898 2 1,573 7 838 127		0°25	0.06	51.00 26.81 20.60 34.62 26.56	2·44 3·27 2·39 1·20 3·95	4.01 2.36 2.42 2.09 2.51	0°34 0°30 0°19 0°13 0°72	21'48 21'61 17'87 15'00 11'84	79·28 54·35 43·80 53·04 45·59	57·99 45·86 57·72 74·24 59·15	1 2 3 4 5
216 169 124 80 36	423		 0'10 0'15	•••	17'00 16'93 24'38 31'37 32'31	1'32 3'03 3'19 4'42 1'00	1.16 0.82 0.82 1.68	0°25 0°31 0°15 0°17	10°93 13°82 12°75 13°10 6°03	30.66 34.60 41.55 51.01 39.50	32·56 34·79 44·02 41·63 42·45	6 7 8 9 10
257 101 38 83 47 120	529 3 236 3 361 7 386	•••	0.14 0.33 0.25	0.08	13.85 30.09 20.53 30.09 43.33 21.74	2.34 1.56 4.73 5.22 5.15 4.30	1'69 1'33 6'68 2'47 7'30 4*05	0'40 0'31 0'33 0'27 0'17 0'61	9'42 7'87 6'19 11'40 7'80 14'74	27.70 41.23 38.46 49.60 64.08 45.69	31.81 40.92 39.31 34.24 40.64 34.68	11 12 13 14 15 16
2,288 113 14 13	642 5 211	0.08	0.03	0.01	32·28 33·95 37·28 36·72	1.81 3.39 5.10 1.88	6·42 3·16 1·11 1·32	0.18	11'06 8'70 3'33 2'45	51·79 49·42 46·83 42·75	38·91 30·16 35·55 35·86	19
256 264 419 50 54	4 1,212 9 1,296 0 203 5 522	•••	0 84 0 42 0 04 0 79	0°57 16°24 12°35 0°39	30°13 37°13 20°70 23°31 17°44 16°19	3.74 2.85 2.19 3.41 2.45 1.38	9:34 8:54 9:36 16:49 9:81 5:33	0.44 0.62 0.30 0.28 0.36 0.20	11·28 18·32 15·57 14·21 5·00 5·53	56·34 84·12 48·15 57·71 47·42 29·81	51·72 74·03 46·25 47·53 33·08 35·06	22 28 24 25
31: 20: 7' 3 60	1 813 7 273 1 260	1·19 0·41	0°26	27.89 14.86 90.46	9.68 19.24 22.85 18.75 7 20	3:10 3:19 5:63 1:53 1:80	6·24 6·76 4·77 2·45 5·06	0·52 0·22 0·17 0·20 0·23	11.78 14.93 13.13 3.16 6.75	59·56 60·39 46·55 26·50 111·61	35:71 30:35 36:39 24:64 33:73	29 30
16	3 440		0.92	0.07	14:51	0.82	2:41	0.82	11.24	31·14	26:38	32
3: 3: 2	5 109			 0.61 0.67	16.01 13.38 18.83	4 42 2·13 2 02	5·69 5·47 3 59	∂·42 0 91 	8·22 10·64 6·05	34·77 33·15 31·38	38·14 33·33 39·13	34
3 2 3	220 3 422 6 113		3·93 3·46 2·50 0·27 0·31 3·03 1·31 2·23 3·37 0·20	22·30 24·82 40·47 0·55 0·31 23·52 0·28 0·21 37·39	13.03 15.71 9.66 12.05 19.99 20.88 18.80 17.83 8.43 8.55	2·19 4 06 1·17 3·60 1·67 2·11	9·86 5·03 7·49 8·49 6·71 2·83 1·14 6·69 10·54 5·97	0·47 0·33 0·27 0 16 0·39 0·28	6:34 13:82 5:50 7:12 8:12 4:10 4:90 6:41 6:32 6:36	59·17 69 12 70·27 30·94 39·66 55·92 29·75 35·39 30·97 60·86	53·39 30·72	37 38 39 40 41 42 43 44

DEATHS REGISTERED FROM DIFFERENT CAUSES IN THE

1		2	[3	4	5	6	7	8	9	<u> </u>		10		
				- o ₂									Injurii	ES.	
No.	В.—"	Fowns,		Population according Census of 1901.	Cholera.	Small-pox.	Plague.	Fevers.	Dysentery and diarrhæa.	Respiratory diseases.	Males.	Females,	Wounding and accidents.	Snake-bite and killed by wild beasts.	Total,
1		2		3	4	5	6	7	8	9	10	11	12	13	14
	JULLUNDUI	R DISTRI	CT.												
46 47 48 49 50 51 52 53 51	Aláwalpur Kartárpur Buugah Ráhon Nawashahr Phillour Núrmahal			54,455 4,423 10,840 4,697 8,651 5,641 6,986 8,706 9,958	•••	76 15 61 15 2 9 6 11 30	406 143 5 98 28 102 168 96 553	651 74 201 101 60 117 203 128 124	145 10 21 7 29 · 15 12 19	350 19 45 25 211 61 62 40 62	 1 	•••	8 2 3 4 4 2 3 4 2	1 1 	10 2 5 4 5 2 3 4 2
	LUDHIANA	DISTRIC	CT.												
55 56 57 58 59	Jagráon Ráikot Khanna		•••	48,211 18,760 10,131 3,838 5,588	•••	 1	2,261 2,094 942 541 551	578 246 236 65 82	171 48 15 7 5	432 250 48 17 45	•••	•••	14 13 4 2 1	3 1	17 10 4 2 2
	FEROZEPOR	E DISTRI	ICT.						!						
60 61 62 63 64 65	Zíra		•••	23,475 4,001 1,355 6,731 6,389 8,505	•••	6 11 6	25 275 	771 96 37 103 131 124	27 4 3 24 11 6	73 40 20 68 25 16	•••	•••	6 2 1 1	2 2 	8 2 3 1
	MONTGOMER	RY DISTR	EICT.												
66 67 68	Kamália .	DISTRICT		6,602 6,976 6,192	•••	12		23 89 60	3 4 12	16 5 19	•••	1	2 4 	2	2 6 1
69	Lahore		•••	186,884	1	178	130	3,497	334	1,761	3	2	70	5	80
70 71 72 73 74 75	Sharakpur Chúnián Khudián Kasúr Khem Karn		•••	4,474 8,959 3,401 22,022 6,083 8,187	•••	4 3 4 10 12 56	4 8 538 62 1	74 215 78 288 153 148	6 16 2 47 9	11 24 8 130 11 27			11 4 1 4	2	2 13 4 1
	AMRITSAR	DISTRIC	et.								•				
76 77 78 79	Majítha . Jandiála .	10 coc	•••	161,039 6,403 7,750 4,428	1 pq	125 29 12	249 210 64	5,722 193 182 77	221 20 1 3	1,243 43 46 40	5		50 1 	1	59 1 5
	GURDASPUR	DISTRI	CT.												
80 81 82 83 84 85 86 87 88	Dínanagar Kalánaur Pathánkot Sujánpur Dalhousio Batála Srígobindpur Dera Nának			4,903 5,191 5,251 6,091 5,687 808 27,365 4,380 5,118		26 45 4 25 58 44 8	209 47 154 128 35 10 	69 195 126 97 114 10 633 105 98	5 2 2 22 13 8 2 36 9	27 26 16 56 38 6 141 9 39	 1		4 3 1 1 2 2 5 1 1	1	4 1 3 2 8 1
50	SIALKOT :	DISTRICT	r.												
89 90 91 92 93 94 95	Daska Jámke Kila Sobha Sing Pasrúr Zafarwál	gh	•••	44,789 6,655 4,216 3,338 8,335 4,658 4,422		10 1 1 3	381 320 489 8 312 41	967 158 63 60 77 70 84	66 5 10 13 33 10 8	431 17 5 17 75 40 37			15 2 2 1 1	3	16 2 2 3 1

No. VI-continued.

TOWNS OF THE PUNJAB DURING THE YEAR 1902.

	11	12	<u> </u>					13					14
-					R	ATIO OF I	DEATHS PE		OF POPULA	TION.			
		all cau					diar-	se s.			From al	l causes.	
	All other causes.	Total deaths from all causes.	Cholera.	Small-pox.	Plague.	Fevers.	Dysentery and drhœa.	Respiratory diseases.	Injuries.	All other causes.	For the year.	Mean of pre- vious five years.	No.
	15	16	17	18	19	20	21	22	23	24	<u>Ž</u> 5	26	27
	499 37 71 64 57 52 69 101 67	2,137 300 409 314 392 358 523 399 849		1.40 3.39 5.63 3.19 0.23 .1.60 0.86 1.26 3.01	7:46 32:33 0:46 20:86 3:24 18:08 24:05 11:03 55:53	11.95 16.73 18.54 21.50 6.94 20.74 29.06 14.70 12.45	2.66 2.26 1.94 1.49 3.35 2.66 1.72 2.18 1.10	6:43 4:30 4:15 5:32 24:39 10:81 8:87 4:59 6:23	0°45 0°46 0°85	9·16 8·37 6·55 13·63 6·59 9·22 9·88 11·60 6·73	39·20 67·83 37·73 66·85 45·31 63·46 74·86 45·83 85·26	31°35 23°60 25°15 37°47 54°01 40°49 36°93 40°80 25°89	47 48 49 50 51 52
	534 222 140 49 55	3,993 2,870 1,386 681 741		 0.10	46.90 111.62 92.98 140.96 98.60	11.99 13.11 23.29 16.94 14.67	3·55 2·56 1·48 1·82 0·89	8:96 13:33 4:74 4:43 8:05	0°35 0°53 0°39 0°52 0°36	11.08 11.83 13.82 12.77 9.84	82·82 152·99 136·81 177·44 132·61	43·27 40·76 50·60 37·62 47·67	57
	223 41 4 79 59 25	1,133 194 64 558 227 171	···· ··· ···	0.26 2.75 0.89 	1.06 40.86 	32·84 23·99 27·31 15·30 20·50 14·58	1·15 1·00 2·21 3·57 1·72 0·71	3·11 10·00 14·76 10·10 3·91 1·88	0°34 0°50 0°45 0°16	9·50 10·25 2·95 11·74 9·23 2·94	48·26 48·49 47·23 82·90 35·53 20·11	43·11 63·53 51·37 35·54 31·49 30·45	62 63 64
	55 91 72	104 195 176	***	0.76	•••	3:48 12:76 9:69	0·45 0·57 1·94	2·42 0·72 3·07	0°30 0°86 0°16	8·33 13·04 11 · 63	15·75 27·95 28·42	16:03 34:75 33:91	66 6 7 68
,	1,836 43 191 38 254 101 99	7,817 140 466 138 1,271 349 314	0.01	0.95 0.89 0.33 1.18 0.45 1.97 6.84	0·70 0·45 2·35 24·43 10·19 0·12	18.71 16.54 24.00 22.93 13.08 25.15 18.08	1.79 1.34 1.79 0.59 2.13 1.48 1.10	9·42 2·46 2·68 2·35 5·90 1·81 3·30	0.43 0.45 1.45 0.18 0.16 0.49	9·82 9·61 21·32 11·17 11·53 16·60 12·09	41·83 31·29 52·01 40·58 57·72 57·37 42·02	31.45 33.53 63.69 48.87 41.49 42.28 33.93	70
	1,050 58 27 38	8,669 525 285 239	•••	0·78 3·74 2·71	1·55 32·80 14·45	35·53 30·14 23·48 17·39	1·37 3·12 0·13 0·68	7·72 6·72 5·94 9·03	0·37 0·16 	6·52 9·06 3·48 8·58	53:83 81:99 36:77 53:97	39·43 32·33 34·04 29·00	76 77 78 79
	52 62 53 48 26 5 176 24 55	392 381 376 343 249 25 1,062 192 258		5·30 8·67 0·76 4·40 2·12 10·05 1·56	42.63 9.05 29.33 21.01 6.15 0.37	14.07 37.57 24.00 15.93 20.05 12.38 23.13 23.97 19.15	1·02 0·39 4·19 2·13 1·41 2·48 1·32 2·05 1.76	5.51 5.01 3.05 9.19 6.68 7.43 5.15 2.05 7.62	0·82 0·77 0·19 0·16 0·53 2·48 0·29 0·23 0·20	10.61 11.94 10.09 7.88 4.57 6.19 6.43 5.48 10.75	79·95 73·40 71·61 56·31 43·78 30·94 38·81 43·84 50·41	41·93 48·97 35·88 32·74 28·73 33·42 31·67 30 05 34·43	80 81 82 83 84 85 86 87 88
	455 63 33 31 101 48 44	2,266 565 602 132 600 210 177	•••	0.22 0.12 0.21 0.68	8·51 48·08 115·99 2·40 37·43 8·80	20·25 23·74 14·94 17·97 9·24 15·03 19·00	1.47 0.75 2.37 3.89 3.96 2.15 1.81	9·62 2·55 1·19 5·09 9·00 8·59 8·37	0·36 0·30 0·47 0·90 0·12 	10·16 9·47 7·83 9·29 12·12 10·30 9·95	50°59 84°90 142°79 39°54 71°99 45°08 40°03	34·93 27·32 35·25 52·49 27·38 44·70 38·63	\$9 90 91 92 93 94 95

DEATHS REGISTERED FROM DIFFERENT CAUSES IN THE

1	2	3	4	5	6	7	8	9	1		10		=
		to]	Injurie	g.	
No,	B.—Towns,	Population according Census of 1901.	Cholera.	Small-pox.	Plague.	Fevers.	Dysentery and diarrhæn.	Respiratory discases.	Males.	females.	Wounding and accidents.	Snake-tite and killed by wild beasts,	Total.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	GUJRANWALA DISTRICT.												
96 97 98 99 100 101	Gujránwála	28,356 18,069 6,494 2,705 4,961 7,121	8	29 9 3 18 7	362 166 1 1 55 5	449 374 130 65 136 176	3	147 90 26 8 17 24	•••	•••	10 8 4 1	1 2 1	11 10 4 1 5
102 103 104 105	GUJRAT DISTRICT. Gujrát Jalálpur Kunjah Dinga SHAHPUR DISTRICT.	19, 0 48 10,640 6,431 5,412		4 9 34 	153 2	403 150 89 64		127 65 42 85	•••	•••	10 6 4	1	10 6 5
106 107 108 109 110	Shahpur Sábiwál	5,855 9,163 18,680 7,22 0 11,403	•••	8 9 49 3 63	2 2	62 173 271 142 149	37 26	11 10 56 10 14			1 1 7 4 4	1	2 1 8 4 4
111 112	JHELUM DISTRICT. Jhelum Pind Dádan Khan	11,703 13,770		$ar{3}$	***	183 504		4 1 2		•	2	1	1 2
	RAWALPINDI DISTRICT.												
113 114 115 116	Ráwalpindi Murree Pindigheb Hazro	47,077 1,517 8,452 9,799		12 100 1	1	1,057 29 148 108	3 6	210 13 9 52		•••	14 2 2 2	1 1	19 2 3 2
	MIANWALI DISTRICT.												
117 118 119 120 121	Leiah	7,546 3,243 5,312 7,630 5,824		7 5 3 4	•••	73 45 127 136 151	3 7 16	4 3 5 6 4		•••	1 2 1 2	•••	1 2 1 2 2
122 123 124 125	JHANG DISTRICT. Jhang Magbiána Chiníot Lyallpur	8,788 14,418 15,688 9,171		4 10 4 3		134 189 298 229	33 17	3 11 17 10	1	• • •	3 5 7 5	•••	3 6 7 5
126 127 128 129 130 131	MOOLTAN DISTRICT. Mooltan Kahror Shujabad Jaláipur Talamba Duniapur	74,627 5,552 5,880 5,149 2,520 2,150		83 16 6 20	• • •	1,176 124 75 86 3 5	2 23 5 4	202 5 7 2	•••	•••	24 2 3 2 1	1	25 2 3 3 1
132 133 134 135	MUZAFFARGARH DISTRICT Muzaffargarh Khangarh Alipur Khairpur	3,737 3,621 2,788 2,257	3	5 5 5 4	100	68 97 63 30	5 5	11		•••	1 1 	 	2 1
136 137 138 139 140	D. G. KHAN DISTRICT. Dera Gházi Khan Jámpur Dájal Rájanpur Kot Mithan	21,697 5,928 6,213 3,917 3,487	3	24 4 25 1	•••	374 102 114 68 48	14 7 5	21 47 5		•••	7 1 	3 1 	10 1 2
	Total	1,993,961	-			43,863		11,281	-			68	
Allen de	Total for the Province	2,0108,690	371	11,629	171,302	473,352	14,124	57,015	148	172	4,888	1,189	6,392

No. VI.—concluded.

TOWNS OF THE PUNJAB DURING THE YEAR 1902.

11	12						13				,	14
		,		RA	ATIO OF I	EATHS PI	ER 1,000	OF POPUL	ATION.			
All other causes.	Total deaths from all causes.	Cholera.	Small-pox.	Plague,	Fevers.	Dysentery and diar- rhœa.	Respiratory diseases.	Injuries,	All other causes.	For the year.	Mean of pre- vious five years.	No.
15	16	17	18	19	20	21	22	23	24	25	26	27
372 236 63 33 67 114	1,403 944 228 129 286 337	 0.44 	1°02 0°50 0°46 6°65 1°41	12·77 9·19 0·15 0·37 11·09 0·70	15.83 20.70 20.02 24.03 27.41 24.72	1·16 2·82 0·15 1·48 0·60 1·83	5·18 4·98 4·00 2·96 3·43 3·37	0·39 0·55 0·62 0·20 0·70	13.12 13.06 9.70 12.20 13.49 16.01	49:48 52:24 35:11 47:69 57:65 47:32	26°35 38.31 33°94 28°91 31°04 38°37	96 97 98 99 100 101
273 189 48 56	1,004 437 229 215	•••	0·21 0·85 5·29	8.03	21.16 14.10 13.84 11.83	1.78 1.69 2.18 0.92	6:67 6:11 6:53 15:71	0*52 0·56 0·92	14·33 17·76 7·46 10·35	52·71 41 07 35·61 39·73	35.63 36.15 27.90 29.75	102 103 104 105
33 128 165 85 80	120 333 588 270 335	•••	1'37 0'98 2'62 0'42 5'52	0.11	10.59 18.88 14.51 19.67 13.07	2:22 1:31 1:98 3:60 2:02	1.88 1.09 3.00 1.38 1.23	0·11 0·43 0·55	5·64 13·97 8·83 11·77 7·02	22.03 36.34 31.48 37.40 29.38	29·31 34·62 30·99 35·51 22·92	106 107 108 109 110
1 03 1 51	313 818	•••	0·26 1·60	•••	15·64 36·60	1·62 9*22	0·84 0·87		8:80 10:97	26·75 59·40	22·13 41·00	11 1 112
509 20 68 91	1,949 68 334 - 267		0°25 11°83 0°10	 0.66	22:45 19:12 17:51 11:02	3·02 1·98 0·71 1·38	4*46 8*57 1·06 5·31	1·32 0·35	10:81 13:18 8:05 9:29	41.40 44.83 89.52 27.25	32·28 31·64 28·47 29·55	113 114 115 116
40 22 11 42 40	182 80 154 206 255	• • • • • • • • • • • • • • • • • • • •	0.93 1.54 0.56 0.52	•••	9·67 13·88 23·91 17·82 25·93	0.93 0.93 1.32 2.10 9.96	0.53 0.93 0.94 0.79 0.69	0.62 0.19 0.26		28·99 27 ·00	21'92 40'15 40'36 25'35 42'75	117 118 119 120 121
172 215 2 55 7 1	343 464 636 390	•••	0·46 0·69 0·26 0·33	0·11 2 42 4·80	15·26 13·11 19·00 24·97	2.29	1 68	():42 0*45	19.58 14.92 16.26 7.74	39.05 32.19 40.55 42.53	36·16 34·71	122 123 124 125
690 32 59 68 44 18	86	•••	1°11 2°88 1°02 3°88	0.01	15.76 22.33 12.76 16.70 13.86 18.60	0.36 3.91 0.97 1.58	 0:85 1:36	0.58	9 33 5 76 10 03 13 21 17 42 8 37	31.84 31.70 29.08 36.71 34.4.5 33.02	28·30 27·74 34·93 29·71	126 127 128 129 130
34 48 62 57	162 143		1:34 1:38 1:79 1:77		18·20 26·79 22·60 15·95	1.38 1.79	3·04 2·87	0.28	9°10 11°88 22°24 25°25	36·13 44·74 51·20 48·29		132 133 134 135
192 70 38 17 12	212 233 90		1.11 0.67 4.02 0.26		17:24 17:21 18:35 17:36 13:77	2:36 1:13 1:28 1:43	3·54 7·56 1·28 0·29	0.17	11.81 6.12 4.84 3.44	35.76 37.50 24.51 18.93	37:95 32:12 27:65	137 138
20,662				7.95 8.52	22.00		ļ				36.72	
152,788	886,978	0 02	0.58	6 52	20 04	1] 2 84	032	. 00			

ANNUAL FORM No. VII.

DEATHS REGISTERED FROM CHOLERA IN THE DISTRICTS OF THE PUNJAB DURING EACH MONTH OF THE YEAR 1902.

1	2		3		1							5							6			7		8	9
		OF R	RCLES LEGIS- TION.	Town: VILL	S AND						Mor	THE.						2	POTAL.		PER	OF DE) F	fire years.	
No.	Districts.	Number in each district.	Number from which deaths from cholera were reported.	Number in each district.	Number from which deaths from cholcra were reported.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Males,	Females.	Total,	Males,	Females.	Total.	Mean ratio per 1,000	No.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21			24	25	26
2 3 4	Gurgáon Delhi Karnál Umballa	27 15 21 15 26 19	2 3 1 14	718 1,390	3					27 1	 45 4		 3 17 57	54 1 12 71				61 3 12 88	 65 1 17 74	126 4 29 162	0·16 0·01 0·03 0·21	0·18 0·003 0·04 0·22	 0·17 0·01 0·03 0·21	1.85 0.67 0.33 0.12 0.40 0.08	1 2 3 4 5 6
11		18 24 19 15 25		2,128 1,226 869	000	•••	•••	•••	· · · · · · · · · · · · · · · · · · ·	•••		•••			•••		38	 		38	0.001	0.04	0.05	0.03 0.07 0.14 0.59	8 9 10 11 12
14 15 16 17	Montgomery Lahore Amritsar Gurdáspur Siálkot Jujránwàla	20 29 15 25 21		1,374 1,540 1,047 2,255 2,355 1,339		•••		•••			•••	•••	1						1	***	0.01	0.001	•••	0·22 0·54 0·11 0·08 0·11	
20 21 22	RAWALPINDI DIVISION. Gujrát Shahpur Jhelum Ráwalpindi MOOLTAN DIVISION. Miánwáli	13 20 16 23		1,340 794 978 1,714	1					•••		•••	***	2			•••	2	•••	2	0.004	•••	0.002	0.08 0.47 0.21 0.19	20 21 22
25 26	Jhang Mooltan Muzaffargarh Dera Ghazi Khan.	22 25 18 25	3	1,899 1,357 704 718			•••	•••	•••	•••	***	•••	•••	•••	***		•••	•••	•••	•••	•••	***	***	0.01 0.10	24 25
	Total for the Province.	53	5 2	5 32,834	39	9		3	:	28	50	24	78	147	7		38	3 198	173	371	0'02	0.02	0.03	0.52	

	1 2		
	ANNUAL FOR	ISTRIČTS O	F THE
PUN	JAB DURING EACH MO		·
PUN	JAB DURING EACH MO		·
PUN	JAB DURING EACH MO		
PUN	JAB DURING EACH MO		
PUN	JAB DURING EACH MO		
PUN	JAB DURING EACH MC		

DEATHS REGISTERED FROM SMALL-POX IN THE DISTRICTS

1		2		Ī		3	4								5
						LES OF TRATION.	Towns							М	onths.
№ 0.	Dīs	STRICI	rs,		Number in each district.	Number from which deaths from small-pox were reported.	Number in each district.	Number from which deaths from small-pox were reported.	January.	February.	March.	April,	May.	June.	July.
1		2			3	4	5	6	7	8	9	10	11	12	13
-	DELHI	DIV	ISION.												
1	Hissár	•••	• • •		27	11	972	37	3	2	2	4	8	9.	5
2	Rohtak	•••	•••		15	5	502	5	•••	3	3	1	1		•••
3	Gurgáon	•••	•••		21	16	1,179	19	5	10	11	13	17	32	16
4	Delhi	•••	• • •		15	3	718	4	•••	***	•••	3	3	3	•••
5	Karnál	• • •	• • •		26	11	1,390	20	•••	1	3	16	23	15	10
6	Umballa	***		•••	19	15	1,725	80	4	15	30	25	26	17	6
7	Simla,	***	***	•••	3	2	51	25	14	8	1	2	• • •	8	5
	JULLUND	UR I	DIVISI	ON.			1								
8	Kángra	•••	644	,	18	10	71 8	16	1	4	4	5	6	6	2
9	Hoshiárpur		936		24	24	2,128	256	24	35	64	91	122	142	96
10	Jullundur	***			19	19	1,226	206	86	98	104	2 90	183	80	46
1 1	Ludhiána		0 0 0		15	12	869	45	2	3	6	4	13	11	4
12	Ferozepore		•••	•••	25	22	1,511	199	19	14	22	49	82	54	45
	LAHOR	E DI	VISION	J											
13	Montgomer		,	. 1 .	20	20	1,374	119	49	61	80	67	69	68	59
14	Lahore	•••		•••	29	28	1,540	271	96	51	59	95	143	148	79
15	Amritsar		•••	•••	15	14	1,047	239	29	22	55	75	148	.134	79
16	Gurdáspur	•••	• • •	•••	25	20	2,255	87	11	92	32	30	46	81	30
17	Siálkot	•••	***	•••	21	18	2,355	175	28	47	70	<u>&</u> 5	106	68	47
18	 Gujránwála	b		***	18	17	1,339	66	12	20	15	28	55	37	21
	RAWALPI	NDI	DĮVIS	ION.											
19	Gujrát		***	• • •	13	12	1,340	181	26	32	47	81	92	63	39
20	Shahpur	•••	***	• • •	20	20	794	262	117	166	204	159	184	97	46
21	Jhelam	***	• • •	4 4 4	16	16	978	44	51	71	60	55	74	75	72
22	Ráwalpind	i	***	•••	23	16	1,714	172	11	9	39	55	70	6,9	39
	MOOLTA	N D	IVISIO	N.											
23	Miánwáli	•••	•••	•,•	19	17	431	89	9	39	28	35	45	35	26
24	Jhang	***	•••	•••	27	17	1,899	175	47	35	85	44	83	108	87
25	Mooltan		•••	***	22	20	1,357	110	59	43	78	77	106	. 93	48
26	Muzaffarga	arh	***	•••	18	18	704	179	73	52	86	100	118	87	78
27	Dera Gház	i Kha	311	•••	22	21	718	127	20	39	47	55	79	53	25
مد ر معا	Total for	the l	Provinc	е	535	424	32,834	3,208	7 96	972	1,235	1,544	1,902	1,593	1,010

No. VIII.

OF THE PUNJAB DURING EACH MONTH OF THE YEAR 1902.

						6		7	7		8		9	10
						TOTAL.		Numbr DEATHS CHILD	AMONG		DEATHS P		or previ-	
August.	September.	October.	November.	December.	Males.	Females.	Total,	Under one year.	Over one year and under ten years.	Males.	Females.	Total.	Mean ratio per 1,000 for previous five years.	No.
14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
5	2	3	3	1	30	17	47	11	26	0.07	0.02	0.06	0.57	1
	•••		100	1	5	4	9	3	4.	0.02	0.01	0.01	0.12	2
12	8	1	2	3	67	63	130	39	78	0.12	0.18	0.17	0.75	3
	2	2	•••	•••	5	8	13	6	5	0.01	0.03	0.03	0.18	4
2	2	4	3	1	42	38	80	10	62	0.09	0.00	0.09	0.26	5
9	8	7	10	15	82	90	172	39	76	0.20	0.26	0.23	0.41	6
•••	1	1		•••	22	18	40	3	6	0.96	1.43	1.12	0.58	7
	_												0107	
1	1	100	•••	•••	23	7	. 30	2	1	0.06	0.02	0.04	0.01	8
47	15	14	20	46	376	340	716	202	265	0.42	0.43	0.72	0.23	9
26	11	7	8	19	490	469 33	959	227	425	1.00	1.13	0.10	0.52	10
35	18	36	14	5 23	32 207	204	65 411	11 103	28 212	0.00	0.11	0'14	0.47	12
	16		**	20	207	204	42.1	103	212	0.41	0 40	0.4.2	0 1	
40	24	17	16	19	302	267	569	158	320	1.12	. 117	1.14	1.08	13
39	21	14	66	104	479	436	915	173	577	0.76	0.84	0.80	0.2	14
42	26	10	7	23	373	277	G 50	130	429	0.67	0.60	0.64	0.38	15
14	7	12	31	38	191	233	424	167	195	0.38	0.24	0.45	0.18	16
21	12	7	11	15	270	247	517	120	339	0.48	0.49	0.48	0.26	17
10	5	2	1	5	106	105	211	60	126	0 22	0.56	0.54	0.11	18
22	8	5	20	48	256	227	483	166	240	0.00	0.63	0.64	0.12	19
35	11	19	18	71	624	503	1,127	297	667	2.58	2.00	2.12	0.31	20
31	13	13	36	56	339	268	607	273	234	1'14	0.91	1.03	0.30	21
17	11	8	40	221	306	283	589	176	325	0.66	0.67	0.66	0.41	22
12	8	7	19	34	149	148	297	78	142	0.67	0.74	0.40	0.21	23
46	20	13	24	46	322	316	638	214	282	0.28	0.21	0.04	0.45	24
35	36	22	28	37	357	303	662	148	267	0.94	0.86	0.32	0.52	25
57	28	15	27	41.	402	860	762	140	304	1.83	1.94	1.88	0.47	26
47	33	25	35	48	242	264	506	· 89	248	0.92	1.23	1 08	(r28	27
609	335	272	441	920	6,099	5,530	11,629	3,045	5,823	0.20	0.28	0.28	0.36	

xxii

DEATHS REGISTERED FROM FEVERS IN THE DISTRICTS

	DEATHS REGISTERED FROM FEVERS IN THE DISTRICTS															
2	2	2			3		4							5		
					CIRCLES GISTRA		Towns VILLA		Month s.							
No.	Disti	RICTS.			Number in each district.	Number from which deaths from fevers were reported.	Number in each district.	Number from which deaths from fevers were reported.	January.	February.	March.	April.	Мау.	June.		
1				3	4	5	6	7	8	9	10	11	12			
	DELHI I	DIVIS	ION.													
1 2 3	Hissár Rohtak Gurgáon		***	• • •	27 15 21	27 15 21	972 502 1,179	972 490 1,179	2,935 1,831 1,893	2,328 1,730 1,742	2,701 1,503 1,988	2,572 1,479 1,871	2,015 1,895 1,931	1,449 1,121 1,604		
4	Delhi	* * *	• • •		15	15	718	696	1,831	1,647	1,855	1,930	2,102	1,509		
5	Karnál				26	26	1,390	1,272	3,123	2,796	3,321	2,828	2,569	2,240		
6	Umballa		* * *		19	19	1,725	1,677	1,886	1,510	1,525	1,101	1,159	983		
7	Simla	0 8 0	• • •		3	3	51	51	20	13	22	23	31	33		
	JULLUNDU	JR DI	visio	N.												
8	Kángra	•••	***		18	18	718	699	1,241	1,191	1,177	1,692	1,391	1,145		
9	Hoshiárpur	.11	* * *		24	24	2,128	1,555	1,309	1,044	1,193	1,231	1,205	1,037		
10	Jullundur	• • •			19	19	1,226	1,151	2,098	1,729	1,984	1,613	1,610	1,058		
11	Ludhiána		* * *		15	15	869	869	1,858	1,322	825	569	532	586		
12	Ferozepore	• • •			25	25	1,511	1,223	2,994	2,230	2,414	1,879	1,558	1,159		
	LAHORE	DIVI	SION,		:						·					
13	Montgomery	6 6 P			20	20	1,374	1,021	1,023	688	613	469	463	340		
14	Lahore	0 0 0	0 * 0		29	29	1,540	1,476	2,904	2,350	2,606	2,217	2,198	1,683		
15	Amritsar	• • •			15	15	1,047	1,007	2,788	2,195	2,285	2,460	2,983	2,253		
16	Gurdáspur	* * 1			25	25	2,255	2,109	1,580	1,385	1,686	1,191	1,410	1,241		
17	Siálkot		. • •		21	21	2,355	2,269	3,490	3,158	3,095	2,537	2,654	1,583		
. 18	Gujránwála	* * *	***	•	19	18	1,339	1,339	2,648	2,351	2,110	1,808	2,460	1,550		
	RAWALPI	NDI D	ivisio	N.												
19	Gujrát	***	• • •		13	13	1,340	1,259	1,820	1,415	1,429	995	1,168	824		
20	Shahpur		• • •		20	21)	794	789	967	915	791	586	685	595		
21		• • •	***	•••	16	16	978	913	1,542	1,389	1,248	897	952	793		
22	Ráwalpindi		4 + 4	•••	23	23	1,714	1,714	2,033	2,164	1,901	1,520	1,359	1,281		
	MOOLTA	N DI	VISIO	٧.									-			
28		* 1 1	• • •	•••	19		431	396	953	856	964	791	879	690		
2.		• • •		***	27		1,899			2,009	1,771	1,716	1,752	1,197		
	5 Mooltan	***	• • •	• • •	22				1		1,096		1,226	882		
2				•••	18		704			797	677	744	906	648		
2	Dera Ghazi	ETIEN	***	***	22	22	718	597	920	604	077	700	200	040		
	Total for	the Pr	ovince	•••	538	5 535	32,831	30,279	51,124	42,960	43,581	38,496	39,832	30,036		

No. IX.

OF THE PUNJAB DURING EACH MONTH OF THE YEAR 1902.

							6			7		8	9
1							TOTAL.		RATIO 1,000	OF DEATH	IB PER	for	-
Jaly.	August.	September.	October,	November.	December,	Males.	Females,	Total.	Males.	Females.	Total.	Mean ratio per 1,000 previous five years.	No.
13	14	15	16	17	18.	19	20	21	22	23	24	25	26
1,222 821 1,165 1,071 1,411 718 41	1,387 1,366 1,509 1,385 1,763 991 27	1,323 1,308 1,910 1,414 1,851 1,666 35	1,928 2,520 2,540 2,318 2,280 1,661 24	2,200 2,222 2,174 2,362 2,662 1,362 18	1,954 1,868 1,849 2,236 2,707 1,259 27	12,800 10,518 11,557 11,202 15,536 8,043 172	11,214 9,141 10,619 10,458 14,015 7,728 142	24,014 19,659 22,176 21,660 29,551 15,771 814	30·61 31·57 29·60 30·27 32·44 19·16 7·47	30°85 30°73 29°85 33°00 34°67 22°50 11°30	30·72 31·17 29·72 31·53 33·46 20·66 8·83	\$6:04 29:27 24:09 22:79 \$2:37 28:96 9:15	1 2 3 4 5 6
938	1,173	1,517	1,941	1,614	1,508	7,514	8,196	15,710	14.29	17.67	15.87	18.70	9
1,032	1,225	1,319	1,780 1,322	1,744	1,559 1,092	8,741 5,837	10,002 6,064	18,746 11,901	17.91 15.81	24·04 19·95	20·73 17·68	17·22 26·09	10
1,043	758 1,158	909	2,592	3,691	3,947	12,944	12,457	25,401	25.52	29.32	27.25	31.12	12
294	826	314	354	488	644	3,157	2,854	6,011	11:75	12:46	12 [.] 08	15.11	13
1,388	1,332	1,325	1,811	2,280	2,521	12,533	12,077	24,610	19.91	23.37	21.47	22.59	14
1,846	1,734	1,659	2,913	3,301	3,082	15,043	14,456	29,499	26 '9 2	31.13	28.85	20.99	15
1,159	1,358	1,523	2,083	1,842	1,899	8,850	9,452	18,302	17:44	22 02	19.54	20 31	16
1.379	1,597	1,522	1,950	1,956	3,041	12 ,540	14,417	26,957	2219	28.48	25.16	22.00	17
1,534	1,435	1,210	2,087	2,170	2,161	12,154	11,370	23,524	25.05	- 28.05	26.41	20 92	18
794	1,021	1,080	1,494	1,541	1,895	7,247	7,729	14,976	18.61	21.40	19*95	18:62	19
562	609	533	793	1,052	1,343	4,657	4,774	9,431	17:05	19.01	17:99	15.77	20
810	898	940	1,627	1,924	1,600	7,483	7,137	14,620	25'12	24'37	24.75	21.00	21
1,144	1,362	1,497	2,096	2,297	2,336	10,673	10,316	3,0989	2 3.02	24.42	23.69	20.30	22
516	586	514	656	966	929	4,804	4,496	9,300	31.45	22.41	21.90	25.79	23
1,129	1,436	1,155	1,543	2,052	2,744	11,332	9,979	21,311	2 0126	22.21	21.25	13.80	24
800	749	771	1,039	1,309	1,357	6,791	6,269	13,060	17.88	19.71	18.71	17.82	25
541	601	590	816	1,059	938	4,837	4,485	9,322	21.97	24 18	22.98	24.74	26
526	689	650	781	865	1,038	4,931	4,273	9,204	19°30	19.92	19.59	19 87	27
25,673	30,002	\$1,928	45,105	47,287	46,728	240,411	235,908	473,352	22'27	25 02	23.24	22.37	

DEATHS REGISTERED FROM DYSENTERY AND DIARRHŒA IN THE DISTRICTS

			0		1	3		4		5						
1			2			Circli		Towns								
•						REGISTI	RATION.	VILLA	AGES.						Months.	
No.		Dist	TRICTS			Number in each dis- trict.	Number from which deaths from dysentery and diarrhæa were reported.	Number in each district.	Number from which deaths from dysentery and diarrhosa were reported.	Janusry.	February.	March,	April.	May.	June,	
1	1 2						4	5	6	7	8	9	10	11	12	
	DEI	HII	DIVIS	ION												
1	Hissár		111			27	24	972	122	22	15	31	39	19	32	
2	Rohtak			• • •		15	15	502	219	13	12	5	18	17	13	
8	Gurgáon		,	• • •	***	21	21	1,179	311	44	36	41	41	69	50	
4	Delhi	•••		***	111	15	15	718	429	80	49	60	62	71	51	
8	Karnál				• • •	26	26	1,390	130	64	24	42	36	42	48	
6	Umballa	• • •	• • •		• • •	19	19	1,725	432	68	56	42	56	57	38	
7	Simla	•••		• • •		3	3	51	35		5	2	2	5	2	
1g.	JULLUI	NDUI	R DIV	VISION	•											
8	Kángra	• • •	• • •		***	18	18	718	575	39	34	40	63	56	78	
9	Hoshiárpur		•••	***		24	24	2,128	308	84	48	61	64	58	45	
- 10	Jullundur	••	• • •	•••	• • • •	19	19	1,226	123	40	31	29	43	55	36	
11	Ludhiána	•••		***		15	15	869	102	57	24	23	25	27	38	
12	Ferozepore	• •		* * *		25	25	1,511	181	32	16	26	21	34	33	
	LAHORE DIVISION.															
13	Montgomer	У				20	20	1,374	79	17	7	10	6	7	13	
14	Lahore	* * *	•••	•••		29	28	1,540	182	89	33	47	46	80	48	
15	Amritsar	***	• • •	***		15	15	1,047	306	89	36	52	71	96	74	
16	Gardáspur	***				25	25	2,255	627	76	36	63	100	141	98	
17	Siálkot	* * *	• • •	• • •		21	21	2,355	1,045	83	67	98	135	132	71	
18	Gojránwála		***	* * *	***	18	17	1,339	99	. 14	11	22	18	26	24	
	RAWAL	PIND	I DI	VISION												
19	Gujrát	• • •	• • •	•••		13	13	1,340	201	29	23	30	50	44	27	
20	Shahpur	•••	• • •	* * *		20	20	794	213	24	12	8	25	25	26	
21	Jhelum	•••	110	• • •	•••	16	16	978	117	21	10	11	7	17	15	
22	Ráwalpindi		•••	• • •		23	19	1,714	30	11	14	4.	22	7	38	
	MOOL	TAN	DIVI	SION.									-			
23	Miánwáli		•••	***		19	19	431	86	12	8	14	9	20	17	
24	Jhang	•••	•••	• •		27	20	1,899	193	29	19	15	22	40	23	
25		•••	***	•••	•	22	18	1,357	60	24	11	22	24	20	16	
26	Muzaffargar		• • •	•••		18	18	704	7 0	9	3	3	7	9	12	
27	Dera Gházi	Khar	۱	* * *		22	17	718	48	5	4	6	14	11	19	
	Total	for th	e Pro	vince	•••	535	5 10	32,834	6,323	1,075	644	807	1,026	1,185	976	

No. X.

OF THE PUNJAB DURING EACH MONTH OF THE YEAR 1902.

							в		Ī	7		8	9
							TOTAL.			F DEATHS POPULATI		00 for	
St July.	ysngny 4	September.	October.	November.	December.	Males.	Females.	Total.	Males.	Females.	Total,	Mean ratio per 1,000 for previous five years.	No.
									era recommendada de				
34 18 63 63 32	51 50 115 95 47	27 22 128 84 47	47 17 105 91 53	29 20 114 96 41	26 14 70 118 53	227 122 483 533 314	145 97 393 387 215	372 219 876 920 529	0·54 0·37 1·24 1·44 0·66	0·40 0·33 1·10 1·22	0·48 0·35 1·17 1·34 0·60	1·59 0·74 1·56 1·48 0·98	1 2 8 4 5
63	90	127	128 5	187	120 3	577 34	405 22	982 5 6	1·37 1·48	1·18 1·75	1·29 1·57	1·43 1·87	6
61	64	60	62	40	87	337	317	654	0.85	0.86	0.86	1.06	8
52	60	83	87	46	47	404	3 31	735	0.44	0.41	0.74	1.01	9
34	70	72	64	58	5 5	310	277	587	0,63	0.67	0.62	0.69	10
26	33	43	57	45	34	23 5 222	197	432 348	0.64	0.30 0.62	0.64 0.37	1.02 0.82	12
25	29	28	35	34	35		126		0*44				
10	9	17	9	14	19	91	47	138	0.84	0·21 0·59	0°28 0°63	0.48	13
43	52	65	77 99	63 126	77 97	415 564	3 05	720 955	0.66	0.84	0.63	0.83	15
78 88	73 151	175	201	135	132	758	638	1,396	1.49	1.49	1.49	1.41	16
104	139	133	84	76	37	605	554	1,159	1.07	1.09	1.08	0.88	17
17	84	21	21	16	19	129	114	24 3	0'27	0.28	0.27	0.51	18
23	40	48	48	32	24	234	184	418	0.60	0.21	0.26	0.49	19
33	47	32	53	34	30	207	142	349	0.76	0.57 0.45	0.67	0.41 0.62	20
19	33	52	41	47	44	182 298	132 1 9 9	314 497	0.61	0.47	0.22 0.23	0.19	21 22
54	46	84	81	65	71			,	0*64				
17	26	29	29	25	39	130	115	245	0.28	0.27 0.42	0.88 0.43	0.44	23
40	42	55 26	50 22	42 25	52 32	244 176	185 118	4 2 9 294	0°44 0°46	0.32	0.43	0.57	25
34	28 6	36 4	22	23	21	76	53	129	0'46	0.53	0.32	0.38	26
7	14	21	6	16	14	79	49	128	0.31	0.53	0.52	0.35	27
1,054	1,450	1,564	1,601	1,404	1,338	7,986	6,138	14,124	0.74	0.66	0.40	0.83	



Statement showing the death-rates from Cholera, Small-pox, Fevers and Dysentery and Diarrhea for the five years preceding, and for the period since the introduction of Drainage or Water Supply, or both, in the undermentioned Towns.

Tow	AT di		DATE COMPL OF WOL	ETION	RATE S	INCE T	NUAL D HE INT RAINAGE	RODUC. E OR	RATE PERI	FOR TH OD PRE UCTION	NUAL DE FIVE CEDING OF DRAPLY, OF	Rem∆rks,	
1047		Drainage,	Water supply.	Cholera,	Small-pox.	Fevers.	Dysentery and diarrhea,	Cholera.	Small-pox.	Fevers.	Dysentery and diarrhæa.		
Delhi	• • •			1893	0.04	0.9	24.0	1.8	0.4	0.6	26.7	1.9	
Umballa	•••			1895	0.5	0.2	13.7	4 *6	0.2	0.4	19.3	6.4	
Simla			1893	1893		0.2	14.9	0.8		1.1	17.1	1.4	
V32													begun in 1876 and completed in 1893.
				1881	0.8	0.7	20.0	1.6	1.9	1.6	27.8	2.3	•
Lahore	194	• • • •	•••		00		11.5	2.3			9.6	2.4	
Dalhousie	* * *	•••	•••	1894	••	0.1				•••			
Gujránwála	• • •	•••	1892	•••	0.5	0'5	14.7	1.1	0.2	0.6	19.7	1.7	
Ráwalpindi		•••	•••	1887	0.7	0.3	21.9	2.4	0.2	0.1	16.4	3.4	
Murree		•••		1894	0.5	•••	16'6	1.4	0.7	0.4	14.8	0.9	
Kálka	•••	•••		1890	0.3	0.01	16.2	2.2	1.7	0.5	15.2	3.9	





